HYDRAULIC TABLES

FOR THE

CALCULATION OF THE DISCHARGE

THROUGH

SEWERS, PIPES AND CONDUITS;

BASED ON KUTTER'S FORMULA.

By P. J. FLYNN, Civil Engineer.

THE VAN NOSTRAND SCIENCE SERIES.

16mo. Boards. Price 50 Cents Each.
Amply Illustrated when the Subject Demands.

THE VAN NOSTRAND SCIENCE SERIES.

HYDRAULIC TABLES

FOR THE

CALCULATION OF THE DISCHARGE

THROUGH

SEWERS, PIPES AND CONDUITS;

BASED ON KUTTER'S FORMULA.

By P. J. FLYNN, Civil Engineer.

REPRINTED FROM VAN NOSTRAND'S MAGAZINE.

PREFACE.

The usefulness of such tables as are presented in the following pages requires no demonstration in a preface. A glance at the explanatory text and tabular arrangement of the values will be sufficient to convince the practical engineer, who has ever had occasion to apply Kutter's formula, that the present collection is in an eminent degree of the labor saving kind.

Editor of Magazine.

Hydraulic Tables Based on Kutter's Formula.

THE tables given below are intended to facilitate the calculation of velocities, discharges, slopes and dimensions of sewers and other conduits, and their use will effect a great saving of time ; as, for instance, instead of calculating the velocity and discharge by the use of a troublesome formula, the same result, practically, will be arrived at by taking the product of two factors given in the tables.

Kutter's formula is a complicated equation, and in its general form is :

$$v = c\sqrt{rs} \text{ in which}$$

$$c = \left\{ \frac{41.6 + \dfrac{1.811}{n} + \dfrac{.00281}{s}}{1 + \left(\left(41.6 + \dfrac{.00281}{s}\right) \times \dfrac{n}{\sqrt{r}}\right)} \right\}$$

In this and the following formulæ,

v=mean velocity in feet per second.

c=coefficient of mean velocity.

s=fall of water surface (h) in any distance (l) divided by that distance = $\dfrac{h}{l}$=sine of slope.

r=hydraulic mean depth=area of cross section of water divided by wetted perimeter=$\dfrac{a}{p}$.

d=diameter of circular channel.

a=area of cross section of water.

p=wetted perimeter.

Q=discharge in cubic feet per second.

n=the natural coefficient depending on the nature of the bed, that is, the lining of the channel over which the water flows, which throughout this article, and in the preparation of the tables, has been taken at .015.

Mr. J. C. Trautwine, in his *Engineer's Pocket Book,* states that, "In consideration of the rough character of sewer brickwork generally," he has taken n = .015 in Kutter's formula when he calculated the velocities in sewers.

Mr. R. Hering, in a paper read before the American Society of Civil Engineers in 1878 on the velocity and discharge of sewers, gave :

"$n=.015$ " for "foul and slightly tuberculated iron ; cement and terra cotta pipes with imperfect joints, and in bad order ; well dressed stonework and second-class brickwork." The tables do not apply to channels with smooth or plastered surfaces. They are intended to apply only to sewers, conduits and other channels whose surfaces exposed to the flow of water are of second-class brickwork, or have surfaces of other material equally rough, such, for instance, as those given above from Mr. Hering's paper.

The general form of Kutter's formula is :

$$v = c\sqrt{rs} = c\sqrt{r} \times \sqrt{s} \quad \cdot \quad \cdot \quad \cdot \quad (1).$$

from which

$$c\sqrt{r} = \frac{v}{\sqrt{s}} \quad \cdot \quad \cdot \quad \cdot \quad \cdot \quad \cdot \quad (2).$$

$$\sqrt{s} = \frac{v}{c\sqrt{r}} \quad \cdot \quad \cdot \quad \cdot \quad \cdot \quad \cdot \quad (3).$$

$$s = \left(\frac{v}{c\sqrt{r}}\right)^2 \qquad \cdots \qquad (4).$$

$$Q = av = ac\sqrt{r} \times \sqrt{s} \qquad \cdots \qquad (5).$$

from which

$$a = \frac{Q}{v} \qquad \cdots \qquad (6).$$

$$ac\sqrt{r} = \frac{Q}{\sqrt{s}} \qquad \cdots \qquad (7).$$

$$\sqrt{s} = \frac{Q}{ac\sqrt{r}} \qquad \cdots \qquad (8).$$

$$s = \left(\frac{Q}{ac\sqrt{r}}\right)^2 \qquad \cdots \qquad (9).$$

The values of $c\sqrt{r}$ and $ac\sqrt{r}$ for 173 diameters are given in Table 1, and the values of $\sqrt{s}$ for 1072 slopes are given in Table 2. It will then be seen that a large range of channels numbering 185456 are included in these tables. The velocity is found by the product of two factors $c\sqrt{r}$ and $\sqrt{s}$, and in a similar way the discharge is found by the product of the two factors $ac\sqrt{r}$ and $\sqrt{s}$.

In Kutter's formula given above the value of c is found from an equation in-

volving the value of r, n and s, so that any change in the value of s would cause a change in the value of c, but as the influence of s on the value of c is not very marked in such slopes as are usually adopted for sewers and conduits, the value of the coefficient has been calculated for one slope, that of 1 in 1000 or $s = .001$. This value of the coefficient is *practically constant* for all values of s with a steeper slope than 1 in 1000, and as sewers are generally designed with steeper slopes than 1 in 1000, the tables are well adapted to facilitate the calculations. For flatter slopes than 1 in 1000 up to even 2 feet per mile, or 1 in 2640, the tables give results showing a maximum error in the case of a sewer 2 feet in diameter of less than 2 per cent., and in the case of a sewer 8 feet in diameter less than ½ per cent.; therefore, for all practical purposes, the tables are sufficiently accurate.

The hydraulic mean depth of a cylindrical conduit flowing full is equal to one-fourth of the diameter.

The *mean velocity* in circular sewers

and conduits is the same when running half full as when running full.

APPLICATION AND USE OF THE TABLES.

To find the mean velocity in feet per second and the discharge in cubic feet per second.

Example 1.—A circular brick sewer has a diameter of 3 feet and a fall of 1 in 500. What is its mean velocity in feet per second and also its discharge in cubic feet per second?

By formula (1) $v = c\sqrt{r} \times \sqrt{s}$.

In column 4 of table 1 and opposite 3 feet diameter the value of $c\sqrt{r}$ is found equal to 80.77, and in table 2 opposite 1 in 500 the value of $\sqrt{s}$ is found equal to .044721; substituting these values in equation, we have:

$v = 80.77 \times .044721$.

$= 3.61$ feet per second the mean velocity.

By formula (5) $Q = av = a \times 3.61$, but by table 2 the area of a sewer 3 feet in diameter $= 7.068$; substitute this value in equation and

$$Q = 7.068 \times 3.61$$

$= 25.52$, the discharge in cubic feet per second.

Again, as a check,

By formula (5) $Q = ac\sqrt{r} \times \sqrt{s}$.

In column 4 of table 1, and opposite 3 feet diameter the value of $ac\sqrt{r}$ is given as 570.9, substituting this value and also the value of $\sqrt{s}$, as found above, in equation we have

$$Q = 570.9 \times .044721 = 25.53$$

cubic feet per second the discharge, which is the same as already found above.

Example 2.—To find the diameter.— (*d*). The grade (*s*) of a sewer is to be 1 in 480, and its mean velocity (*v*) 4 feet per second. What is the required diameter? By formula (2).

$$c\sqrt{r} = \frac{v}{\sqrt{s}}$$

In column 3 of table 2 we find for a slope of 1 in 480 that $\sqrt{s}$ is equal to .045644. Substitute this in equation, and also the value of *v* already given, and

$$c\sqrt{r} = \frac{4}{.045644} = 87.63.$$

Now look in column 4 of table 1 for the nearest value of $c\sqrt{r}$ to this which we find to be £7.15, opposite 3 feet 4 inches in diameter, which is the diameter required.

Example 3.—To find the grade of Sewer.—A sewer 2 feet 6 inches diameter is to have a velocity when running full or half full of not more than $3\frac{1}{2}$ feet a second. What should its grade be?

By formula (3) $\sqrt{s} = \dfrac{v}{c\sqrt{r}}$

In column 4 of table 1 find opposite the diameter 2 feet 6 inches that $c\sqrt{r}$ is equal to 70.74. Substitute this value and also the value of v already given in equation,

and $\sqrt{s} = \dfrac{3.5}{70.74} = .049477.$ Now look out the nearest the value of $\sqrt{s}$ to this in column 3 of table 2, which we find to be .049507, opposite a slope of 1 in 408, which is the required grade.

To find the grade of sewer when the grade is not given in Table 2.

Example 4.—A sewer having a diameter of 8 feet is to have a velocity of

$3\frac{1}{2}$ feet per second. What is its required grade?

By formula (3) $\sqrt{s} = \dfrac{v}{c\sqrt{r}}$. Look out

the value of $c\sqrt{r}$ for 8 feet diameter in Table 1, and it will be found to be 158.7. Substitute this value and also the value of v already given in equation and

$$\sqrt{s} = \frac{3.5}{158.7} = .022054.$$

On looking for this value of $\sqrt{s}$ in Table 2 it is not to be found, therefore square each side of equation

$$\sqrt{s} = .022054 \text{ and we get}$$
$$s = .000486379$$

and $\dfrac{1}{.000486379} = 2056$, therefore the slope is 1 in 2056.

To find the diameter (d).

Example 5.—A sewer is to discharge 9 cubic feet of water per second and its grade is to be 1 in 200. What is its diameter to be?

By formula (7) $ac\sqrt{r} = \dfrac{Q}{\sqrt{s}}$. In the
third column of Table 2 and opposite 1 in
200 the value of $\sqrt{s}$ is found to be
.070710. Substitute this value and the
discharge already given in equation, and
we have $ac\sqrt{r} = \dfrac{9}{.070710} = 127.28$. In
column 5 of Table 1, the value of $ac\sqrt{r}$
nearest to this we find to be 130.58, op-
posite to which is the diameter of 1 foot
9 inches, which is the diameter required.

To find the grade or slope of sewer. (s).

Example. 6.—A sewer 6 feet in diam-
eter is required to discharge 180 cubic
feet of water per second. What should
be its slope?

By formula (8) $\sqrt{s} = \dfrac{Q}{ac\sqrt{r}}$. In col-
umn 5 of table 1 and opposite 6 feet in
diameter the value of $ac\sqrt{r}$ is found equal
to 3702.3. Substitute this and also the
value of Q in equation, and we have

$$\sqrt{s} = \dfrac{180}{3702.3} = .048618.$$ Now in

column 4 of Table 2 look out the number nearest to this, which will be found to be .048621 opposite a slope 1 in 423, therefore the required grade is 1 in 423.

To find diameters in a series of sewers with increasing discharge.

Example 7.—A circular sewer has for 500 feet in length to discharge 10 cubic feet per second, then for 600 feet more has to discharge 12 cubic feet per second, and again for 700 feet, farther on 15 cubic feet per second. The total fall available is 5 feet. What is the required diameter and fall of each section? The total length is 1800 feet and $^5/_{1800} = .002777 = s$ and $\sqrt{.002777} = .052705 = \sqrt{s}.$

By formula (7) $ac\sqrt{r} = \dfrac{Q}{\sqrt{s}}$.

In this equation substitute values of Q and s for each section and find the corresponding diameters, which will be the diameter required.

$$ac\sqrt{r} = \frac{10}{.052705} = 189.7$$

$$ac\sqrt{r} = \frac{12}{.052705} = 227.7$$

$$ac\sqrt{r} = \frac{15}{.052705} = 284.6$$

Opposite which in Table 1 is

diam. 2'-0''

diam. 2'-2''

diam. 2'-4''

Now $s = \dfrac{h}{l}$ $\therefore$ $h = sl$, therefore the

Fall of first section $= sl = .002777$
$\times 500$ ....$= 1.89$ ft.

Fall of second section $= sl = .002777$
$\times 600$...................................$= 1.67$ "

Fall of third section $= sl = .002777$
$\times 700$...................................$= 1.95$ "

Total fall.........................5.00 ft.

We have, therefore,

1st section, diameter 2'—0'', fall 1.39 ft.
2d   "   "   2—2''   "   1.67 "
3d   "   "   2'—4'' "   1.94 "

To find velocity and discharge of trapezoidal channel.

Example 8.— A trapezoidal channel lined with brickwork, 6 feet wide at bottom and with side slopes of 1 to 1, has 2

feet in depth of water and a grade of 1 in 160. What is its velocity and discharge per second?

Area $(a) = \dfrac{6 \times 10}{2} \times 2 = 16$ square feet.

Wetted primeter $(p) = 2 \times \sqrt{2^2 \times 2^2} + 6 = 11.66$ feet.

∴ Hydraulic mean depth

$$(r) = \frac{a}{p} = \frac{16}{11.66} = 1.372.$$

In column 3 of Table 1 look out the nearest value of r to this which we find to be 1.375, and corresponding to this we find $c\sqrt{r}$ equal to 123.5. In Table 2 for a slope of 1 in 160 the value of $\sqrt{s}$ is found to be $= .079057$.

Now by formula (1) $v = c\sqrt{r} \times \sqrt{s}$ and " " " (5) $Q = av$ substituting the values above found of the factors, then $v = 123.5 \times .079057 = 9.76$ feet per second and Q=16+9.76=156.2 cubic feet per second, therefore the mean velocity is equal to 9.76 feet per second and the discharge equal to 156.2 cubic feet per second.

To find the dimensions of a circular sewer to replace a rectangular brick channel.

Example 9.—An open brick channel 5 feet wide at bottom, with vertical sides, has a depth of water in floods of 3 feet and a slope of 1 in 520. It is intended to substitute for it a circular sewer whose mean velocity flowing full shall be about 5 ft. per second. What should be the diameter and grade of the new circular sewer flowing full?

In Table 2 the $\sqrt{s}$ for a grade of 1 in 520 = .043853.

Area of rectangular channel $(a) = 5 + 3 = 15$ sq. ft. Wetted perimeter $(p) = 3 + 5 + 3 = 11$ feet. ∴ Hydraulic mean depth $(r) = \dfrac{a}{p} = \dfrac{15}{11}$ 1.364. In Table 1 find corresponding to this hydraulic mean depth the nearest $c\sqrt{r}$, which is 123.5.

By formula (5) $Q = a + c\sqrt{r} + \sqrt{s}$ substitute the values found above, of the factors in right hand side of equation, and $Q = 15 \times 123.5 + .043853 = 81.24$ cubic feet

per second, the discharge from the rectangular channel.

We have now to find the diameter and grade of a circular sewer to convey this quantity of water with a velocity not greater than 5 feet per second.

By formula (6) $a = \dfrac{Q}{v}$ substitute values

$a = \dfrac{81.24}{5} = 16.248$ square feet=area of circular sewer. In column 2 of Table 1 we find the area nearest in value to this $= 16.499$, and the corresponding diameter equal to 4 feet 7 inches, and at the same time find the value of the corresponding $ac\sqrt{r}$ which is 1796.5.

By formula (8) $\sqrt{s} = \dfrac{Q}{ac\sqrt{r}}$ substitute values of Q and $ac\sqrt{r}$ found above and

$$\sqrt{s} = \dfrac{81.24}{1796.5} = .045221.$$

In Table 2 we find the grade corresponding to this equal to 1 in 489, therefore the diameter of circular sewer is 4 feet 7 inches, and the grade 1 in 489.

CIRCULAR SEWERS AND CONDUITS FLOWING FULL.

TABLE 1.—GIVING VALUES OF a AND r AND ALSO THE FACTORS $c\sqrt{r}$ AND ALSO $ac\sqrt{r}$.

These factors are to be used only where the value of n, that is the coefficient of roughness of lining of channel$=.015$, as in second class or rough-faced brickwork, well-dressed stone work, foul and slightly tuberculated iron, cement and terra cotta pipes with imperfect joints and in bad order.

$$v=c\sqrt{r}\times\sqrt{s}. \quad Q=av=ac\sqrt{r}\times\sqrt{s}.$$

$d=$diameter in ft. in.	$a=$area in square ft.	$r=$hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
0 5	0.136	0.104	17.36	2.3615
0 6	0.196	0.125	20.21	3.9604
0 7	0.267	0.146	22.95	6.1268
0 8	0.349	0.167	25.56	8.9194

d=diameter in ft. in.	a=area in square ft.	r=hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
0 9	0.442	0.187	28.10	12.421
0 10	0.545	0.208	30.52	16.633
0 11	0.660	0.229	33.03	21.798
1 0	0.785	0.250	35.40	27.803
1 1	0.922	0.271	37.60	34.664
1 2	1.069	0.292	39.85	42.602
1 3	1.227	0.312	42.05	51.600
1 4	1.396	0.333	44.19	61.685
1 5	1.576	0.354	46.36	73.066
1 6	1.767	0.375	48.38	85.496
1 7	1.969	0.396	50.40	99.242
1 8	2.182	0.417	52.45	114.46
1 9	2.405	0.437	54.29	130.58

d=diameter in ft. in.	a=area in square ft.	r=hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
1 10	2.640	0.458	56.29	148.61
1 11	2.885	0.479	58.20	167.90
2 0	3.142	0.500	60.08	188.77
2 1	3.409	0.521	61.95	211.20
2 2	3.687	0.542	63.72	234.94
2 3	3.976	0.562	65.51	260.47
2 4	4.276	0.583	67.32	287.87
2 5	4.587	0.604	69.02	316.59
2 6	4.909	0.625	70.74	347.28
2 7	5.241	0.646	72.59	380.46
2 8	5.585	0.667	74.27	414.81
2 9	5.939	0.687	75.98	451.23
2 10	6.305	0.708	77.56	488.99

$d=$diameter in ft. in.	$a=$area in square ft.	$r=$hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
2 11	6.681	0.729	79.16	528.85
3 0	7.068	0.750	80.77	570.90
3 1	7.466	0.771	82.39	615.14
3 2	7.875	0.792	84.03	661.77
3 3	8.295	0.812	85.54	709.56
3 4	8.726	0.833	87.15	760.44
3 5	9.169	0.854	88.61	812.38
3 6	9.621	0.875	90.11	866.91
3 7	10.084	0.896	91.60	923.70
3 8	10.559	0.917	93.11	983.11
3 9	11.044	0.937	94.62	1045.0
3 10	11.541	0.958	96.15	1109.6
3 11	12.048	0.979	97.55	1175.2

$d=$diameter in ft. in.	$a=$area in square ft.	$r=$hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
4 0	12.566	1.000	99.10	1245.3
4 1	13.096	1.021	100.5	1315.8
4 2	13.635	1.042	102.0	1390.8
4 3	14.186	1.062	103.4	1466.7
4 4	14.748	1.083	104.8	1545.7
4 5	15.321	1.104	106.2	1627.0
4 6	15.904	1.125	107.6	1711.4
4 7	16.499	1.146	108.9	1796.5
4 8	17.104	1.167	110.3	1886.8
4 9	17.721	1.187	111.6	1977.7
4 10	18.348	1.208	113.0	2074.1
4 11	18.986	1.229	114.4	2172.9
5 0	19.635	1.250	115.7	2272.7

d=diameter in ft. in.	a=area in square ft.	r=hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
5 1	20.295	1.271	117.1	2376.7
5 2	20.966	1.292	118.4	2482.0
5 3	21.648	1.312	119.7	2590.5
5 4	22.340	1.333	121.0	2702.1
5 5	23.044	1.354	122.2	2816.7
5 6	23.758	1.375	123.5	2934.8
5 7	24.484	1.396	124.8	3056.4
5 8	25.220	1.417	126.0	3177.3
5 9	25.967	1.437	127.3	3305.6
5 10	26.725	1.458	128.6	3436.3
5 11	27.494	1.479	129.7	3566.6
6 0	28.274	1.500	131.0	3702.3
6 3	30.680	1.562	134.6	4130.3

d=diameter in ft. in.		a=area in square ft.	r=hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
6	6	33.183	1.625	138.3	4588.3
6	9	35.785	1.687	141.8	5074.7
7	0	38.485	1.750	145.3	5591.6
7	3	41.283	1.812	148.7	6136.8
7	6	44.179	1.875	152.0	6717.0
7	9	47.173	1.937	155.5	7333.5
8	0	50.266	2.000	158.7	7978.3
8	3	53.456	2.062	162.0	8658.8
8	6	56.745	2.125	165.3	9377.9
8	9	60.132	2.187	168.4	10128
9	0	63.617	2.250	171.6	10917
9	3	67.201	2.312	174.7	11740
9	6	70.882	2.375	177.7	12594

$d=$diameter in ft. in.		$a=$area in square ft.	$r=$hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
9	9	74.662	2.437	180.7	13489
10	0	78.540	2.500	183.7	14426
10	3	82.516	2.562	186.7	15406
10	6	86.590	2.625	189.5	16412
10	9	90.763	2.687	192.4	17462
11	0	95.033	2.750	195.2	18555
11	3	99.402	2.812	198.1	19694
11	6	103.87	2.875	201.0	20879
11	9	108.43	2.937	203.7	22093
12	0	113.10	3.000	206.5	23352
12	3	117.86	3.062	209.2	24658
12	6	122.72	3.125	212.0	26012
12	9	127.68	3.187	214.6	27399
13	0	132.73	3.250	217.4	28850

d=diameter in ft. in.	a=area in square ft.	r=hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
13 3	137.88	3.312	220.0	30330
13 6	143.14	3.375	222.6	31860
13 9	148.49	3.437	225.2	33441.
14 0	153.94	3.500	227.8	35073
14 3	159.48	3.562	230.0	36736
14 6	165.13	3.625	232.9	38454
14 9	170.87	3.687	235.4	40221
15 0	176.72	3.750	237.9	42040
15 3	182.65	3.812	240.5	43931
15 6	188.69	3.875	242.8	45820
15 9	194.83	3.937	245.3	47792
16 0	201.06	4.000	247.8	49823
16 3	207.40	4.062	250.3	51904
16 6	213.83	4.125	252.7	54056

d=diameter in ft. in.	a=area in square ft.	r=hydraulic mean depth.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
16 9	220.35	4.187	254.9	56171
17 0	226.98	4.250	257.2	58387
17 3	233.71	4.312	259.7	60700
17 6	240.53	4.375	261.9	62999
17 9	247.45	4.437	264.4	65428
18 0	254.47	4.500	266.6	67839
18 3	261.59	4.562	268.9	70346
18 6	268.80	4.625	271.3	72916
18 9	276.12	4.687	273.5	75507
19 0	283.53	4.750	275.8	78201
19 3	291.04	4.812	278.0	80916
19 6	298.65	4.875	280.2	83686
19 9	306.36	4.937	282.4	86526
20 0	314 16	5.000	284.6	89423

TABLE 2.

GIVING VALUES OF s AND $\sqrt{s}$.

s=sine of slope=fall of water surface (h) in any distance (l), divided by that distance=$\dfrac{h}{l}$

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
4	.250000000	.500000
5	.200000000	.447214
6	.166666660	.408248
7	.142857143	.377978
8	.125000000	.353553
9	.111111111	.333333
10	.100000000	.316228
11	.090909090	.301511
12	.083333333	.288675
13	.076923077	.277350
14	.071428571	.267261
15	.066666667	.258199

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
16	.062500000	.250000
17	.058823529	.242536
18	.055555555	.235702
19	.052631579	.229416
20	.050000000	.223607
21	.047619048	.218218
22	.045454545	.213200
23	.043478261	.208514
24	.041666667	.204124
25	.040000000	.200000
26	.038461538	.196116
27	.037037037	.192450
28	.035714286	.188982
29	.034452759	.185695
30	.033333333	.182574
31	.032258065	.179605
32	.031250000	.176777
33	.030303030	.174077
34	.029411765	.171499

Slope 1 in.	s=sine of slope.	$\sqrt{s}$
35	.028571429	.169031
36	.027777778	.166667
37	.027027027	.164399
38	.026315789	.162221
39	.025641026	.160125
40	.025000000	.158114
41	.024390244	.156174
42	.023809524	.154303
43	.023255814	.152499
44	.022727273	.150756
45	.022222222	.149071
46	.021739130	.147444
47	.021276600	.145865
48	.020833333	.144337
49	.020408163	.142857
50	.020000000	.141421
51	.019607843	.140028
52	.019230769	.138676
53	.018867925	.137361

Slope 1 in.	s = sine of slope.	$\sqrt{s}$.
54	.018518519	.136085
55	.018181818	.134839
56	.017850143	.133630
57	.017543860	.132453
58	.017241379	.131305
59	.016949153	.130189
60	.016666667	.129100
61	.016393443	.128037
62	.016129032	.127000
63	.015873016	.125988
64	.015625000	.125000
65	.015384615	.124035
66	.015151515	.123091
67	.014925353	.122169
68	.014705882	.122268
69	.014492754	.120386
70	.014285714	.119524
71	.014084507	.118678
72	.013888889	.117851

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
73	.013698630	.117041
74	.013513514	.116248
75	.013333333	.115470
76	.013157895	.114708
77	.012987013	.113961
78	.012820513	.113228
79	.012658228	.112509
80	.012500000	.111803
81	.012345679	.111111
82	.012195122	.110431
83	.012048193	.109764
84	.011904762	.109109
85	.011764706	.108465
86	.011627907	.107833
87	.011494253	.107211
88	.011363636	.106600
89	.011235955	.106000
90	.011111111	.105409
91	.010989011	.104828

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
92	.010869565	.104257
93	.010752688	.103695
94	.010638298	.103142
95	.010526316	.102598
96	.010416667	.102062
97	.010309278	.101535
98	.010204082	.101015
99	.010101010	.100504
100	.010000000	.100000
101	.009900990	.099504
102	.009803922	.099015
103	.009708738	.098533
104	.009615385	.098058
105	.009523810	.097590
106	.009433962	.097129
107	.009345794	.096674
108	.009259259	.096225
109	.009174312	.095783
110	.009090909	.095346

Slope 1 in.	s=sine of slope.	$\sqrt{s}$
111	.009009009	.094916
112	.008928571	.094491
113	.008849558	.094072
114	.008771930	.093659
115	.008695652	.093250
116	.008620690	.092848
117	.008547009	.092450
118	.008474576	.092057
119	.008403361	.091669
120	.008333333	.091287
121	.008264463	.090909
122	.008196721	.090536
123	.008130081	.090167
124	.008064516	.089803
125	.008000000	.089442
126	.007836508	.089087
127	.007874016	.088736
128	.007812500	.088388
129	.007751938	.088045

Slope 1 in.	s = sine of slope.	$\sqrt{s}$.
130	.007692308	.087706
131	.007633588	.087370
132	.007575758	.087039
133	.007518797	.086711
134	.007462687	.086387
135	.007407407	.086066
136	.007352941	.085749
137	.007299270	.085436
138	.007246377	.085126
139	.007194245	.084419
140	.007142857	.084516
141	.007092199	.084215
142	.007042254	.083918
143	.006993007	.083624
144	.006944444	.083333
145	.006896552	.083046
146	.006849315	.082760
147	.006802721	.082479
148	.006756757	.082199

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
149	.006711409	.081923
150	.006666667	.081650
151	.006622517	.081379
152	.006578947	.081111
153	.006535948	.080845
154	.006493506	.080582
155	.006451613	.080322
156	.006410256	.080065
157	.006369427	.079809
158	.006329114	.079556
159	.006289308	.079305
160	.006250000	.079057
161	.006211180	.078811
162	.006172840	.078568
163	.006134969	.078326
164	.006097561	.078087
165	.006060606	.077850
166	.006024096	.077615
167	.005988024	.077382

Slope 1 in.	s = sine of slope.	$\sqrt{s}$.
168	.005952381	.077152
169	.005917160	.076923
170	.005882353	.076697
171	.005847953	.076472
172	.005813953	.076249
173	.005780347	.076029
174	.005747126	.075810
175	.005714286	.075593
176	.005681818	.075378
177	.005649718	.075164
178	.005617978	.074953
179	.005586592	.074744
180	.005555556	.074536
181	.005524862	.074329
182	.005494505	.074125
183	.005464481	.073922
184	.005434783	.073721
185	.005405405	.073521
186	.005376344	.073324

Slope 1 in.	s=sine of slope.	$\sqrt{s.}$
187	.005347594	.073127
188	.005319149	.072932
189	.005291005	.072739
190	.005263158	.072548
191	.005235602	.072357
192	.005208333	.072169
193	.005181347	.071982
194	.005154639	.071796
195	.005128205	.071612
196	.005102041	.071429
197	.005076142	.071247
198	.005050505	.071067
199	.005025126	.070888
200	.005000000	.070710
201	.004975124	.070534
202	.004950495	.070359
203	.004926108	.070186
204	.004901961	.070014
205	.004878049	.069843

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
206	.004854369	.069673
207	.004830918	.069505
208	.004807692	.069338
209	.004784689	.069172
210	.004761905	.069007
211	.004739336	.068843
212	.004716981	.068680
213	.004694836	.068519
214	.004672897	.068358
215	.004651163	.068199
216	.004629630	.068041
217	.004608295	.067885
218	.004587156	.067729
219	.004566210	.067574
220	.004545455	.067419
221	.004524887	.067267
222	.004504505	.067116
223	.004484305	.066965
224	.004464286	.066815

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
225	.004444444	.066667
226	.004424779	.066519
227	.004405286	.066372
228	.004385965	.066227
229	.004366812	.066082
230	.004347826	.065938
231	.004329004	.065795
232	.004310345	.065653
233	.004291845	.065512
234	.004273504	.065372
235	.004255319	.065233
236	.004237288	.065094
237	.004219409	.064957
238	.004201681	.064820
239	.004184100	.064685
240	.004166667	.064549
241	.004149378	.064416
242	.004132231	.064283
243	.004115226	.064150

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
244	.004098361	.064018
245	.004081633	.063888
246	.004065041	.063758
247	.004048583	.063629
248	.004032258	.063500
249	.004016064	.063372
250	.004000000	.063246
251	.003984064	.063119
252	.003968254	.062994
253	.003952569	.062870
254	.003937008	.062746
255	.003921569	.062622
256	.003906250	.062500
257	.003891051	.062378
258	.003875969	.062257
259	.003861004	.062137
260	.003846154	.062018
261	.003831418	.061899
262	.003816794	.061780

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
263	.003802281	.061662
264	.003787879	.061546
265	.003773585	.061430
266	.003759398	.061314
267	.003745319	.061199
268	.003731343	.061085
269	.003717472	.060971
270	.003703704	.060858
271	.003690037	.060746
272	.003676471	.060634
273	.003663004	.060523
274	.003649635	.060412
275	.003636364	.060302
276	.003623188	.060193
277	.003610108	.060084
278	.003597122	.059976
279	.003584229	.059868
280	.003571429	.059761
281	.003558719	.059655

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
282	.003546099	.059549
283	.003533569	.059444
284	.003521127	.059339
285	.003508772	.059235
286	.003496503	.059131
287	.003484321	.059028
288	.003472222	.058926
289	.003460208	.058824
290	.003448276	.058722
291	.003436426	.058621
292	.003424658	.058520
293	.003412969	.058420
294	.003401361	.058321
295	.003389831	.058222
296	.003378378	.058124
297	.003367003	.058026
298	.003355705	.057929
299	.003344482	.057831
300	.003333333	.057735

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
301	.003322259	.057639
302	.003311258	.057544
303	.003300330	.057449
304	.003289474	.057354
305	.003278689	.057260
306	.003267974	.057166
307	.003257329	.057073
308	.003246753	.056980
309	.003236246	.056888
310	.003225806	.056796
311	.003215434	.056705
312	.003205128	.056614
313	.003194888	.056523
314	.003184713	.056433
315	.003174603	.056344
316	.003164557	.056254
317	.003154574	.056165
318	.003144654	.056077
319	.003134796	.055989

48

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
320	.003125000	.055902
321	.003115265	.055815
322	.003105590	.055728
323	.003095975	.055641
324	.003086420	.055556
325	.003076923	.055470
326	.003067485	.055385
327	.003058104	.055300
328	.003048780	.055216
329	.003039514	.055132
330	.003030303	.055048
331	.003021148	.054965
332	.003012048	.054882
333	.003003003	.054799
334	.002994012	.054717
335	.002985075	.054636
336	.002976190	.054555
337	.002967359	.054474
338	.002958580	.054393

Slope 1 in.	$s=$ sine of slope.	$\sqrt{s}$.
339	.002949853	.054312
340	.002941176	.054232
341	.002932551	.054153
342	.002923977	.054074
343	.002915452	.053995
344	.002906977	.053916
345	.002898551	.053838
346	.002890171	.053760
347	.002881844	.053683
348	.002873563	.053606
349	.002865330	.053529
350	.002857143	.053452
351	.002849003	.053376
352	.002840909	.053300
353	.002832861	.053224
354	.002824859	.053149
355	.002816901	.053074
356	.002808989	.052999
357	.002801120	.052925

Slope 1 in.	s=sine of slope.	$\sqrt{s.}$
358	.002793296	.052851
359	.002785515	.052778
360	.002777778	.052705
361	.002770083	.052632
362	.002762431	.052559
363	.002754821	.052486
364	.002747253	.052414
365	.002739726	.052342
366	.002732240	.052270
367	.002724796	.052199
368	.002717391	.052129
369	.002710027	.052060
370	.002702703	.051988
371	.002695418	.051917
372	.002688172	.051847
373	.002680965	.051778
374	.002673797	.051709
375	.002666667	.051640
376	.002659574	.051571

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
377	.002652520	.051502
378	.002645503	.051434
379	.002638522	.051366
380	.002631579	.051299
381	.002624672	.051231
382	.002617801	.051174
383	.002610966	.051097
384	.002604167	.051031
385	.002597403	.050965
386	.002590674	.050899
387	.002583979	.050833
388	.002577320	.050767
389	.002570694	.050702
390	.002564103	.050637
391	.002557545	.050572
392	.002551020	.050507
393	.002544529	.050443
394	.002538071	.050379
395	.002531646	.050315

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
396	.002525253	.050252
397	.002518892	.050188
398	.002512563	.050125
399	.002506266	.050062
400	.002500000	.050000
401	.002493766	.049938
402	.002487562	.049876
403	.002481390	.049814
404	.002475248	.049752
405	.002469136	.049690
406	.002463054	.049629
407	.002457002	.049568
408	.002450980	.049507
409	.002444988	.049447
410	.002439024	.049387
411	.002433090	.049326
412	.002427184	.049266
413	.002421308	.049207
414	.002415459	.049147

Slope 1 in.	s =sine of slope.	$\sqrt{s}$.
415	.002409639	.049088
416	.002403846	.049029
417	.002398082	.048970
418	.002392344	.048911
419	.002386635	.048853
420	.002380952	.048795
421	.002375297	.048737
422	.002369668	.048679
423	.002364066	.048621
424	.002358491	.048564
425	.002352941	.048507
426	.002347418	.048450
427	.002341920	.048393
428	.002336449	.048337
429	.002331002	.048280
430	.002325581	.048224
431	.002320186	.048168
432	.002314815	.048113
433	.002309469	.048057

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
434	.002304147	.048001
435	.002298851	.047946
436	.002293578	.047891
437	.002288330	.047836
438	.002283105	.047782
439	.002277904	.047728
440	.002272727	.047673
441	.002267574	.047619
442	.002262443	.047565
443	.002257336	.047511
444	.002252252	.047458
445	.002247191	.047404
446	.002242152	.047351
447	.002237136	.047298
448	.002232143	.047245
449	.002227194	.047193
450	.002222222	.047140
451	.002217295	.047088
452	.002212389	.047036

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
453	.002207506	.046984
454	.002202643	.046932
455	.002197802	.046880
456	.002192982	.046829
457	.002188184	.046778
458	.002183406	.046726
459	.002178649	.046676
460	.002173913	.046625
461	.002169197	.046575
462	.002164502	.046524
463	.002159827	.046474
464	.002155172	.046424
465	.002150538	.046374
466	.002145923	.046324
467	.002141328	.046274
468	.002136752	.046225
469	.002132196	.046176
470	.002127660	.046126
471	.002123142	.046077

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
472	.002118644	.046029
473	.002114165	.045980
474	.002109705	.045932
475	.002105263	.045883
476	.002100840	.045835
477	.002096436	.045787
478	.002092050	.045739
479	.002087683	.045691
480	.002083333	.045644
481	.002079002	.045596
482	.002074689	.045549
483	.002070393	.045502
484	.002066116	.045454
485	.002061856	.045407
486	.002057613	.045361
487	.002053388	.045314
488	.002049180	.045268
489	.002044990	.045222
490	.002040816	.045175

Slope 1 in.	s = sine of slope.	$\sqrt{s}$.
491	.002036660	.045129
492	.002032520	.045083
493	.002028398	.045037
494	.002024291	.044992
495	.002020202	.044947
496	.002016128	.044901
497	.002012072	.044856
498	.002008032	.044811
499	.002004008	.044766
500	.002000000	.044721
501	.001996008	.044677
502	.001992032	.044632
503	.001988072	.044588
504	.001984127	.044544
505	.001980198	.044499
506	.001976285	.044455
507	.001972387	.044412
508	.001968504	.044368
509	.001964637	.044324

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
510	.001960784	.044281
511	.001956947	.044237
512	.001953125	.044194
513	.001949318	.044151
514	.001945525	.044108
515	.001941748	.044065
516	.001937984	.044022
517	.001934236	.043979
518	.001930502	.043937
519	.001926782	.043895
520	.001923077	.043853
521	.001919386	.043811
522	.001915709	.043769
523	.001912046	.043727
524	.001908397	.043685
525	.001904762	.043644
526	.001901141	.043602
527	.001897533	.043561
528	.001893939	.043519

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
529	.001890359	.043478
530	.001886792	.043437
531	.001883239	.043396
532	.001879699	.043355
533	.001876173	.043315
534	.001872659	.043274
535	.001869159	.043234
536	.001865672	.043193
537	.001862197	.043153
538	.001858736	.043113
539	.001855288	.043073
540	.001851852	.043033
541	.001848429	.042993
542	.001845018	.042953
543	.001841621	.042914
544	.001838235	.042874
545	.001834862	.042835
546	.001831502	.042796
547	.001828154	.042757

Slope 1 in.	s=sine of slope.	$\sqrt{s}$
548	.001824817	.042718
549	.001821494	.042679
550	.001818182	.042640
551	.001814882	.042601
552	.001811594	.042563
553	.001808318	.042524
554	.001805054	.042486
555	.001801802	.042448
556	.001798561	.042410
557	.001795332	.042371
558	.001792115	.042333
559	.001788909	.042295
560	.001785714	.042258
561	.001782531	.042220
562	.001779359	.042183
563	.001776199	.042145
564	.001773050	.042108
565	.001769912	.042070
566	.001766784	.042033

Slope 1 in.	s=sine of slope.	$\sqrt{s}$
567	.001763668	.041996
568	.001760563	.041959
569	.001757469	.041922
570	.001754386	.041885
571	.001751313	.041848
572	.001748252	.041812
573	.001745201	.041776
574	.001742160	.041739
575	.001739130	.041703
576	.001736111	.041667
577	.001733102	.041630
578	.001730104	.041594
579	.001727116	.041559
580	.001724138	.041523
581	.001721170	.041487
582	.001718213	.041451
583	.001715266	.041416
584	.001712329	.041380
585	.001709420	.041345

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
586	.001706485	.041309
587	.001703578	.041274
588	.001700680	.041239
589	.001697793	.041204
590	.001694915	.041169
591	.001692047	.041135
592	.001689189	.041100
593	.001686341	.041065
594	.001683502	.041031
595	.001680672	.040996
596	.001677852	.040961
597	.001675042	.040927
598	.001672241	.040893
599	.001669449	.040859
600	.001666667	.040825
601	.001663894	.040791
602	.001661130	.040757
603	.001658375	.040723
604	.001655629	.040689

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
605	.001652893	.040656
606	.001650165	.040622
607	.001647446	.040589
608	.001644737	.040555
609	.001642036	.040522
610	.001639344	.040489
611	.001636661	.040456
612	.001633987	.040422
613	.001631321	.040389
614	.001628664	.040357
615	.001626016	.040324
616	.001623377	.040291
617	.001620746	.040258
618	.001618123	.040226
619	.001615509	.040193
620	.001612903	.040161
621	.001610306	.040128
622	.001607717	.040096
623	.001605136	.040664

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
624	.001602564	.040032
625	.001600000	.040000
626	.001597444	.039968
627	.001594896	.039936
628	.001592357	.039904
629	.001589825	.039873
630	.001587302	.039841
631	.001584786	.039809
632	.001582278	.039778
633	.001579779	.039746
634	.001577287	.039715
635	.001574803	.039684
636	.001572327	.039653
637	.001569859	.039621
638	.001567398	.039590
639	.001564945	.039559
640	.001562500	.039528
641	.001560062	.039498
642	.001557632	.039467

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
643	.001555210	.039436
644	.001552795	.039405
645	.001550388	.039375
646	.001547988	.039344
647	.001545595	.039314
648	.001543210	.039284
649	.001540832	.039253
650	.001538462	.039223
651	.001536098	.039193
652	.001533742	.039163
653	.001531394	.039133
654	.001529052	.039103
655	.001526718	.039073
656	.001524390	.039043
657	.001522070	.039013
658	.001519757	.038984
659	.001517451	.038954
660	.001515152	.038925
661	.001512859	.038895

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
662	.001510574	.038866
663	.001508296	.038837
664	.001506024	.038808
665	.001503759	.038778
666	.001501502	.038749
667	.001499250	.038720
668	.001497006	.038691
669	.001494768	.038662
670	.001492537	.038633
671	.001490313	.038604
672	.001488095	.038576
673	.001485884	.038547
674	.001483680	.038518
675	.001481481	.038490
676	.001479290	.038461
677	.001477105	.038433
678	.001474926	.038405
679	.001472754	.038376
680	.001470588	.038348

Slope 1 in.	s = sine of slope.	$\sqrt{s}$
681	.001468429	.038320
682	.001466276	.038292
683	.001464129	.038264
684	.001461988	.038236
685	.001459854	.038208
686	.001457726	.038180
687	.001455604	.038152
688	.001453488	.038125
689	.001451379	.038097
690	.001449275	.038069
691	.001447178	.038042
692	.001445087	.038014
693	.001443001	.037987
694	.001440922	.037959
695	.001438849	.037932
696	.001436782	.037905
697	.001434720	.037878
698	.001432665	.037851
699	.001430615	.037824

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
700	.001428571	.037796
701	.001426534	.037769
702	.001424501	.037743
703	.001422475	.037716
704	.001420455	.037689
705	.001418440	.037662
706	.001416431	.037636
707	.001414427	.037609
708	.001412429	.037582
709	.001410437	.037556
710	.001408451	.037529
711	.001406470	.037503
712	.001404494	.037477
713	.001402525	.037450
714	.001400560	.037424
715	.001398601	.037398
716	.001396648	.037372
717	.001394700	.037346
718	.001392758	.037320

Slope 1 in.	s = sine of slope.	$\sqrt{s}$.
719	.001390821	.037294
720	.001388889	.037268
721	.001386963	.037242
722	.001385042	.037216
723	.001383126	.037190
724	.001381215	.037164
725	.001379310	.037139
726	.001377410	.037113
727	.001375516	.037088
728	.001373626	.037063
729	.001371742	.037037
730	.001369863	.037012
731	.001367989	.036986
732	.001366120	.036961
733	.001364256	.036936
734	.001362398	.036911
735	.001360544	.036885
736	.001358696	.036860
737	.001356852	.036835

Slope 1 in.	s =sine of slope.	$\sqrt{s}.$
738	.001355014	.036810
739	.001353180	.036786
740	.001351351	.036761
741	.001349528	.036736
742	.001347709	.036711
743	.001345895	.036686
744	.001344086	.036662
745	.001342282	.036637
746	.001340483	.036613
747	.001338688	.036588
748	.001336898	.036563
749	.001335113	.036539
750	.001333333	.036515
751	.001331558	.036490
752	.001329787	.036466
753	.001328021	.036442
754	.001326260	.036418
755	.001324503	.036394
756	.001322751	.036370

Slope 1 in.	$s=$ sine of slope.	$\sqrt{s}$.
757	.001321004	.036346
758	.001319261	.036322
759	.001317523	.036298
760	.001315789	.036274
761	.001314060	.036250
762	.001312336	.036226
763	.001310616	.036202
764	.001308901	.036179
765	.001307190	.036155
766	.001305483	.036131
767	.001303781	.036108
768	.001302083	.036084
769	.001300390	.036061
770	.001298701	.036038
771	.001297017	.036014
772	.001295337	.035991
773	.001293661	.035967
774	.001291990	.035944
775	.001290323	.035921

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
776	.001288660	.035898
777	.001287001	.035875
778	.001285347	.035852
779	.001283697	.035829
780	.001282051	.035806
781	.001280410	.035783
782	.001278772	.035760
783	.001277139	.035737
784	.001275510	.035714
785	.001273885	.035691
786	.001272265	.035669
787	.001270648	.035646
788	.001269036	.035623
789	.001267427	.035601
790	.001265823	.035578
791	.001264223	.035556
792	.001262626	.035533
793	.001261034	.035511
794	.001259446	.035489

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
795	.001257862	.035466
796	.001256281	.035444
797	.001254705	.035422
788	.001253133	.035399
799	.001251564	.035377
800	.001250000	.035355
801	.001248439	.035333
802	.001246883	.035311
803	.001245330	.035289
804	.001243781	.035267
905	.001242236	.035245
806	.001240695	.035223
807	.001239157	.035201
808	.001237624	.035179
809	.001236094	.035158
810	.001234568	.035136
811	.001233046	.035115
812	.001231527	.035093
813	.001230012	.035071

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
814	.001228501	.035050
815	.001226994	.035028
816	.001225490	.035007
817	.001223990	.034985
818	.001222494	.034964
819	.001221001	.034943
820	.001219512	.034922
821	.001218027	.034900
822	.001216545	.034879
823	.001215067	.034858
824	.001213592	.034837
825	.001212121	.034816
826	.001210654	.034794
827	.001209190	.034773
828	.001207729	.034752
829	.001206273	.034731
830	.001204819	.034710
831	.001203369	.034689
832	.001201923	.034669

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
833	.001200480	.034648
834	.001199041	.034627
835	.001197605	.034606
836	.001196172	.034586
837	.001194743	.034565
838	.001193317	.034544
839	.001191895	.034524
840	.001190476	.034503
841	.001189061	.034483
842	.001187648	.034462
843	.001186240	.034442
844	.001184834	.034421
845	.001183432	.034401
846	.001182033	.034381
847	.001180638	.034360
848	.001179245	.034340
849	.001177856	.034320
850	.001176471	.034300
851	.001175088	.034279

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
852	.001173709	.034259
853	.001172333	.034239
854	.001170960	.034219
855	.001169591	.034199
856	.001168224	.034179
857	.001166861	.034159
858	.001165501	.034139
859	.001164144	.034119
860	.001162791	.034099
861	.001161440	.034080
862	.001160093	.034060
863	.001158749	.034040
864	.001157407	.034021
865	.001156069	.034001
866	.001154734	.033981
867	.001153403	.033962
868	.001152074	.033942
869	.001150748	.033923
870	.001149425	.033903

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
871	.001148106	.033883
872	.001146789	.033864
873	.001145475	.033845
874	.001144165	.033825
875	.001142857	.033806
876	.001141553	.033787
877	.001140251	.033768
878	.001138952	.033748
879	.001137656	.033729
880	.001136364	.033710
881	.001135074	.033691
882	.001133787	.033672
883	.001132503	.033653
884	.001131222	.033633
885	.001129944	.033614
886	.001128668	.033595
887	.001127396	.033577
888	.001126126	.033558
889	.001124859	.033539

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
890	.001123596	.033520
891	.001122334	.033501
892	.001121076	.033483
893	.001119821	.033464
894	.001118568	.033445
895	.001117318	.033426
896	.001116071	.033408
897	.001114827	.033389
898	.001113586	.033370
899	.001112347	.033352
900	.001111111	.033333
901	.001109878	.033315
902	.001108647	.033296
903	.001107420	.033278
904	.001106195	.033259
905	.001104972	.033241
906	.001103753	.033223
907	.001102536	.033204
908	.001101322	.033186

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
909	.001100110	.033168
910	.001098901	.033149
911	.001097695	.033131
912	.001096491	.033113
913	.001095290	.033095
914	.001094092	.033077
915	.001092896	.033059
916	.001091703	.033041
917	.001090513	.033023
918	.001089325	.033005
919	.001088139	.032987
920	.001086957	.032969
921	.001085776	.032951
922	.001084599	.032933
923	.001083423	.032915
924	.001082251	.032897
925	.001081081	.032879
926	.001079914	.032862
927	.001078749	.032844

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
928	.001077586	.032826
929	.001076426	.032809
930	.001075269	.032791
931	.001074114	.032774
932	.001072961	.032756
933	.001071811	.032738
934	.001070664	.032721
935	.001069519	.032703
936	.001068376	.032686
937	.001067236	.032669
938	.001066098	.032651
939	.001064963	.032634
940	.001063830	.032616
941	.001062699	.032599
942	.001061571	.032582
943	.001060445	.032565
944	.001059322	.032547
945	.001058201	.032530
946	.001057082	.032513

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
947	.001055966	.032496
948	.001054852	.032479
949	.001053741	.032461
950	.001052632	.032444
951	.001051525	.032427
952	.001050420	.032410
953	.001049318	.032393
954	.001048218	.032376
955	.001047120	.032359
956	.001046025	.032342
957	.001044932	.032325
958	.001043841	.032309
959	.001042753	.032292
960	.001041667	.032275
961	.001040583	.032258
962	.001039501	.032241
963	.001038422	.032224
964	.001037344	.032208
965	.001036269	.032191

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
966	.001035197	.032174
967	.001034126	.032158
968	.001033058	.032141
969	.001031992	.032125
970	.001030928	.032108
971	.001029866	.032091
972	.001028807	.032075
973	.001027749	.032059
974	.001026694	.032042
975	.001025641	.032026
976	.001024590	.032009
977	.001023541	.031993
978	.001022495	.031977
979	.001021450	.031960
980	.001020408	.031944
981	.001019368	.031928
982	.001018330	.031911
983	.001017294	.031895
984	.001016260	.031879

Slope 1 in.	s=sine of slope.	$\sqrt{s.}$
985	.001015228	.031863
986	.001014199	.031847
987	.001013171	.031830
988	.001012146	.031814
989	.001011122	.031798
990	.001010101	.031782
991	.001009082	.031766
992	.001008065	.031750
993	.001007049	.031734
994	.001006036	.031718
995	.001005025	.031702
996	.001004016	.031686
997	.001003009	.031670
998	.001002004	.031654
999	.001001001	.031639
1000	.001000000	.031623
1010	.000990099	.031466
1020	.000080392	.031311
1030	.000970873	.031159

Slope 1 in.	s=sine of slope.	$\sqrt{s}.$
1040	.000961538	.031009
1050	.000952381	.030861
1060	.000943396	.030715
1070	.000934579	.030571
1080	.000925926	.030429
1090	.000917431	.030289
1100	.000909090	.030151
1110	.000900900	.030015
1120	.000892857	.029881
1130	.000884956	.029748
1140	.000877193	.029617
1150	.000869566	.029488
1160	.000862069	.029361
1170	.000854701	.029235
1180	.000847458	.029111
1190	.000840336	.028988
1200	.000833333	.028868
1220	.000819672	.028630
1240	.000806452	.028398

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
1260	.000793651	.028172
1280	.000781250	.027951
1300	.000769231	.027735
1320	.000757576	.027524
1340	.000746268	.027318
1360	.000735294	.027116
1380	.000724638	.026919
1400	.000714286	.026726
1420	.000704225	.026537
1440	.000694444	.026352
1460	.000684932	.026171
1480	.000675675	.025994
1500	.000666666	.025820
1520	.000657895	.025649
1540	.000649351	.025482
1560	.000641025	.025318
1580	.000632911	.025158
1600	.000625000	.025000
1620	.000617284	.024845

Slope 1 in.	$s =$ sine of slope.	$\sqrt{s}$.
1640	.000609756	.024693
1660	.000602409	.024744
1680	.000595238	.024398
1700	.000588235	.024254
1720	.000581395	.024112
1740	.000574712	.023973
1760	.000568182	.023836
1780	.000561798	.023702
1800	.000555555	.023570
1820	.000549450	.023440
1840	.000543478	.023313
1860	.000537634	.023187
1880	.000531915	.023063
1900	.000526316	.022942
1920	.000520833	.022822
1940	.000515464	.022704
1960	.000510204	.022588
1980	.000505050	.022473
2000	.000500000	.022361

Slope 1 in.	s=sine of slope.	$\sqrt{s}$.
2040	.000490196	.022140
2080	.000480769	.021927
2120	.000471698	.021719
2160	.000462963	.021517
2200	.000454545	.021320
2240	.000446429	.021129
2280	.000438597	.020943
2320	.000431034	.020761
2360	.000423729	.020585
2400	.000416666	.020412
2440	.000409836	.020244
2480	.000403226	.020080
2520	.000396825	.019920
2560	.000390625	.019764
2600	.000384615	.019612
2640	.000378787	.019463

EGG-SHAPED SEWERS.

INTERNAL DIMENSIONS.

Hydraulic Tables Based on Kutter's Formula.

Depth of verticle diameter is 1.5 times the greatest transverse diameter; that is, the diameter of top of arch.

Let D=greatest transverse diameter, that is the diameter of top or arch$=\dfrac{2H}{3}$, then

H=depth of sewer or vertical diameter=1.5D.

B=radius of bottom or invert$=\dfrac{H}{6}.$

R=radius of sides=H.

By reference to column $c\sqrt{r}$ in Tables 3 and 4 it will be seen that the mean velocity of an egg-shaped sewer flowing two-thirds full is always *greater* than that of the mean velocity of same sewer flowing

full. When the slopes are equal, columns $c\sqrt{r}$ and $ac\sqrt{r}$ give a ready means for comparing velocities and discharges.

APPLICATION AND USE OF THE TABLES.

To find the velocity and discharge in an egg-shaped sewer.

Example 10.—An egg-shaped sewer 7 feet by 10 feet 6 inches has a slope of 6 feet per mile. What is its velocity and discharge flowing full, flowing two-thirds full depth and one-third full depth?

A slope of 6 feet per mile is equal to 1 in 880, opposite to which in Table 2 the value of $\sqrt{s}$ is found to be $=.03371$.

In Tables 3, 4 and 5 opposite a transverse diameter of 7 feet find the values of $c\sqrt{r}$ and $ac\sqrt{r}$ and substitute them and also the value of $\sqrt{s}$ above found in formula (1) $v = c\sqrt{r} \times \sqrt{s}$.

"   (5) $Q = ac\sqrt{r} \times v\sqrt{s}$ and we get the following:

Full depth $\begin{cases} v = 160.2 \times .03371 = 5.4 \text{ feet} \\ \qquad \text{per second.} \\ Q = 9^{\wedge}15.7 \times .03371 = 303.9 \\ \qquad \text{cubic feet per second.} \end{cases}$

Two-thirds depth. $\begin{cases} v = 169.6 \times .03371 = 5.72 \text{ feet per second.} \\ Q = 6283.5 \times .03371 = 211.8 \text{ cubic feet per second.} \end{cases}$

One-third depth. $\begin{cases} v = 127.9 \times .03371 = 4.31 \text{ feet per second.} \\ Q = 1779.4 \times .03371 = 59.98 \text{ cubic feet per second.} \end{cases}$

To find the dimensions of an egg-shaped sewer to replace a circular sewer.

Example 11.—A circular sewer 5 feet diameter and 4800 feet long has a fall of 16 feet. It is to be removed and replaced by an egg-shaped sewer with a fall of 8 feet whose discharge flowing full shall equal that of the circular sewer flowing full? Give dimensions of egg-shaped sewer.

A fall of 16 in 4800=1 in 300 and in Table 2 the $\sqrt{s}$ corresponding to this is .057735. In Table 1 opposite 5 feet diameter the value $ac\sqrt{r}$ is 2272.7, substitute this value and also the value of $\sqrt{s}$ in formula (5) $Q = ac\sqrt{r} \times \sqrt{s}$ and we have $Q = 2272.7 \times .057735 = 131.21$ cubic feet per

second, the discharge of the circular
sewer. The egg-shaped sewer is to have
a fall of 8 in 4800=1 in 600, and in Table
2 the equivalent $\sqrt{s}$ is .040825, substitute
this value and also the discharge found
above in

formula (7) $ac\sqrt{r} = \dfrac{Q}{\sqrt{s}} = \dfrac{131.21}{.040825} = 3213.9$

In Table 3, the nearest value of $ac\sqrt{r}$
to this is 3353 opposite a transverse diam-
eter 4 feet 10 inches, therefore the egg-
shaped sewer is to be 4 feet 10 inches by
7 feet 3 inches.

To find the diameter of a circular sewer
whose discharge flowing full shall equal
that of an egg-shaped sewer flowing one-
third full depth.

Example 12.—Find the diameter of a
circular sewer whose discharge flowing full
shall equal that of the egg-shaped sewer
in last example flowing one-third full the
slope being the same in each.

In Table 5 and opposite transverse di-
ameter 4 feet 10 inches the value of $ac\sqrt{r}$
$=657.53$.

In Table 1 the value of $ac\sqrt{r}$ nearest to this is found to be 661.77 opposite a diameter of 3 feet 2 inches, which is the diameter of the circular sewer required.

To find the diameter of a circular sewer whose velocity flowing full shall equal that of an egg-shaped sewer flowing one-third full depth.

Example 13.—What is the diameter of a circular sewer whose mean velocity flowing full shall equal that of an egg-shaped sewer 4 feet by 6 feet flowing one-third full, the grade in each being the same?

In Table 5 and opposite the transverse diameter 4 feet the value of $c\sqrt{r} = 86.61$.

In Table 1 the value of $c\sqrt{r}$ nearest to this is 87.15, opposite diameter 3 feet 4 inches, which is the diameter of the circular sewer required.

To find the dimensions and slope of an egg-shaped sewer flowing full, the mean velocity and discharge being given.

Example 14.—An egg-shaped sewer flowing full is to have a mean velocity not greater than 5 feet per second, and is to

discharge 108 cubic feet per second. What is size and slope?

By formula (6) $a = \dfrac{Q}{v}$ substitute values of Q and v given and $a = \dfrac{108}{5} = 21.6$ square feet.

In column 2 of Table 3 the nearest area to this is 21.556 opposite the transverse diameter 4 feet 4 inches, therefore the sewer required is 4 feet 4 inches by 6 feet 6 inches. At the same time the value of $ac\sqrt{r}$ opposite 4 feet 4 inches diameter is found equal to 2501.4, substitute this and also value of

formula (8) $\sqrt{s} = \dfrac{Q}{ac\sqrt{r}} = \dfrac{108}{2501.4} =$

.043176, and in Table 2 the nearest value of $\sqrt{s}$ to this is .043193 opposite the slope of 1 in 536, which is slope of sewer.

The diameter and slope of a circular sewer being given, to find dimensions and slope of an egg-shaped sewer whose discharge flowing two-thirds depth shall equal that of the circular sewer flowing full and

whose velocity at same depth shall not exceed a certain rate.

Example 15.—A circular sewer 6 feet in diameter and with a slope of 1 in 600 is to be removed and to be replaced by an egg-shaped sewer whose discharge flowing at two-thirds of its full depth shall be equal to that of the circular sewer flowing full and whose mean velocity at the same two-thirds depth shall not exceed 5 feet per second? Give dimensions and slope of egg-shaped sewer.

In Table 1 and opposite 6 feet diameter the value of $ac\sqrt{r}$ is 3702.3, and in Table 2 opposite 1 in 600 the value of $\sqrt{s}$ is .040825, substitute these values in formula (5) $Q = ac\sqrt{r} \times \sqrt{s}$ and we get

$Q = 3702.3 \times .040825 = 151.15$ cubic feet per second, the discharge of the circular sewer. Now substitute this discharge and the velocity above given 5 feet per second in formula (6) $a = \dfrac{Q}{v}$ and we get $a = \dfrac{151.15}{5} = 30.23$ square feet, the

area at two-thirds depth of the egg-shaped sewer. In column 2 of Table 4 the nearest area to this is 30.317 opposite a transverse diameter of 6 feet 4 inches, therefore the dimensions of egg-shaped sewer are 6 feet 4 inches by 9 feet 6 inches.

At the same time take out the value of $a\,c\,\sqrt{r}$ opposite 6 feet 4 inches, which is 4811.9. Substitute this and also the value of Q found in formula (8)

$$\sqrt{s} = \frac{Q}{ac\,\sqrt{r}} = .031412$$

and this not being found in Table 1, square each side and

$$s = .0009867,$$

and $\dfrac{1}{.0009867} = 1013$ nearly, therefore the slope of egg-shaped sewer is 1 in 1013 and its size 6 feet 4 inches by 9 feet 6 inches.

To find the dimensions and grade of an egg-shaped sewer to have a certain discharge flowing full, and whose mean velocity shall not exceed a certain rate when flowing two-thirds full depth.

Example 16.—An egg-shaped sewer is to discharge 110 cubic feet per second flowing full and its mean velocity flowing two-thirds full depth is not to exceed 5 feet per second? Find its dimensions and slope.

As a first approximation assume the velocity flowing full at 5 feet per second, then $\dfrac{110}{5} = 22$ square feet the area of egg-shaped sewer flowing full, and in Table 3 opposite this area the transverse diameter 4 feet 4 inches is found. Now with this diameter

the value of $c\sqrt{r}$ full depth $= 116.0$
the value of $c\sqrt{r}$ two-thirds depth $= 123.1$

therefore we may assume that the velocity of sewer flowing full is for 4 feet 4 inches, transverse diameter about 6 per cent. less than when flowing two-thirds full, that is, assuming the velocity at two-thirds depth 5 feet per second, the velocity at full depth will be about 4.7 feet per second. Substituting this velocity and also discharge in formula (6) $a = \dfrac{Q}{v} = \dfrac{110}{4.7} = 23.4$ the area

of egg-shaped sewer flowing full. In Table 3 the transverse diameter opposite this is 4 feet 6 inches, which is the diameter required of the egg-shaped sewer. At the same time that diameter is found look out the value of $ac\sqrt{r}$ which is 2770, substitute this in

formula (8) . $\sqrt{s} = \dfrac{Q}{ac\sqrt{s}}$

$$= \dfrac{110}{2770} = .039711.$$

In Table 2 the $\sqrt{s}$ nearest to this is .039715 opposite a slope of 1 in 634, therefore the dimensions of egg-shaped sewer are 4 feet 6 inches by 6 feet 9 inches and its slope 1 in 634.

Now in Table 4 the value of $c\sqrt{r}$ opposite transverse diameter of 4 feet 6 inches is 126.3, substitute this and also value of $\sqrt{s}$ above found in

formula (1) $v = c\sqrt{r} \times \sqrt{s}$ and we have $v = 126.3 \times .039711 = 5$ feet per second, the mean velocity of sewer flowing two-thirds full.

TABLE 3.—GIVING VALUES OF a AND r AND ALSO THE FACTORS $c\sqrt{r}$ AND $ac\sqrt{r}$ FOR CORRESPONDING TRANSVERSE DIAMETERS OF EGG-SHAPED SEWERS, FLOWING *full depth*, GIVEN IN FIRST COLUMN.

These factors are to be used only where the value of n, that is the coefficient of roughness of lining of channel=.015, as in second class or rough-faced brickwork, well-dressed stone work, foul and slightly tuberculated iron, cement and terra cotta pipes with imperfect joints and in bad order.

Area of egg-shaped sewer flowing full depth = $D^2 \times 1.148525$.

Perimeter of egg-shaped sewer flowing full depth = $D \times 3.9649$.

Hydraulic mean depth of egg-shaped sewer flowing full depth = $D \times 0.2897$.

$$v = c\sqrt{r} \times \sqrt{s}. \quad Q = av = ac\sqrt{r} \times \sqrt{s}.$$

D = transverse diam. ft. in.	a = area in square ft.	r = hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
1 0	1.148	.2897	39.62	45.528
1 2	1.563	.3380	44.66	69.804
1 4	2.041	.3864	49.57	101.17
1 6	2.584	.4345	54.08	139.74
1 8	3.190	.4828	58.64	187.06
1 10	3.860	.5311	62.83	242.52
2 0	4.594	.5794	66.93	307.48
2 2	5.391	.6277	71.01	382.81
2 4	6.253	.6760	74.93	468.54
2 6	7.178	.7242	78.76	565.34
2 8	8.167	.7725	82.44	673.29
2 10	9.220	.8208	86.21	794.86
3 0	10.337	.8691	89.70	927.23

D= transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
3 2	11.517	.9174	93.25	1074.0
3 4	12.761	.9657	96.73	1234.4
3 6	14.069	1.014	100.1	1407.6
3 8	15.442	1.062	103.4	1596.7
3 10	16.877	1.111	106.6	1799.1
4 0	18.376	1.159	109.9	2019.5
4 2	19.940	1.207	113.0	2254.0
4 4	21.566	1.255	116.0	2501.4
4 6	23.258	1.304	119.1	2770.0
4 8	25.013	1.352	122.1	3053.8
4 10	26.830	1.400	125.0	3353.0
5 0	28.713	1.449	128.0	3675.6
5 2	30.660	1.497	130.7	4007.9

D= transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
5 4	32.669	1.545	133.6	4364.9
5 6	34.743	1.593	136.4	4738.0
5 8	36.880	1.642	139.2	5131.7
5 10	39.0s1	1.690	142.0	5548.0
6 0	41.347	1.738	144.6	5980.3
6 2	43.676	1.787	147.3	6435.1
6 4	46.068	1.835	149.8	6902.6
6 6	48.525	1.883	152.5	7399.3
6 8	51.046	1.931	155. 2	7920.6
6 10	53.629	1.980	157.7	8547.1
7 0	56.278	2.028	160.2	9015.7
7 4	61.764	2.124	165.0	10192
7 8	67.508	2.221	170.1	11482

D= transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
8 0	73.506	2.318	174.8	12852
8 4	79.758	2.414	179.6	14327
8 8	86.268	2.511	184.3	15898
9 0	93.030	2.607	188.8	17563
9 4	100.049	2.704	193.1	19323
9 8	107.324	2.800	197.5	21198
10 0	114.853	2.897	201.9	23191
10 6	126.625	3.042	208.3	26376
11 0	138.972	3.187	214.6	29822
12 0	165.388	3.476	226.8	37502

TABLE 4.—GIVING VALUES OF a AND r
AND ALSO THE FACTORS $c\sqrt{r}$ AND
$ac\sqrt{r}$ FOR CORRESPONDING DIAME-
TERS OF EGG-SHAPED SEWERS, FLOW-
IVG *two-thirds full depth*, GIVEN IN
FIRST COLUMN.

These factors are to be used only where the
value of n, that is the coefficient of roughness of
lining of channel=.015, as in second class or
rough-faced brickwork, well-dressed stone work,
foul and slightly tuberculated iron, cement and
terra cotta pipes with imperfect joints and in bad
order.

Area of section of egg-shaped sewer flowing two-
thirds full depth = $D^2 \times 0.755825$.

Perimeter of section of egg-shaped sewer flowing
two-thirds full depth = $D \times 2.3941$.

Hydraulic mean depth of section of egg-shaped
sewer flowing two-thirds full depth =
$D \times 0.3157$.

$$v = c\sqrt{r} \times \sqrt{s}. \quad Q = av = ac\sqrt{r} \times \sqrt{s}.$$

D= trans- verse diam. ft. in.	a=area in square ft.	r=hy- draulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
1 0	0.756	0.316	42.40	32.048
1 2	1.029	0.368	47.80	49.181
1 4	1.344	0.421	52.82	70.993
1 6	1.701	0.474	57.68	98.115
1 8	2.099	0.526	62.46	131.10
1 10	2.540	0.579	66.94	170.02
2 0	3.023	0.631	71.42	216.54
2 2	3.548	0.684	75.59	268.19
2 4	4.115	0.737	79.69	327.93
2 6	4.724	0.789	83.90	396.32
2 8	5.375	0.842	87.82	472.01
2 10	6.067	0.894	91.60	555.74
3 0	6.802	0.947	95.33	648.40

D= trans- verse diam. ft. in.	a=area in square ft.	r=hy- draulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
3 2	7.579	1.000	99.10	751.08
3 4	8.398	1.052	102.7	862.41
3 6	9.259	1.105	106.2	983.24
3 8	10.161	1.158	109.7	1115.1
3 10	11.106	1.210	113.2	1256.1
4 0	12.093	1.263	116.5	1409.4
4 2	13.123	1.315	119.8	1572.1
4 4	14.192	1.368	123.1	1746.9
4 6	15.305	1.421	126.3	1932.7
4 8	16.460	1.473	129.4	2130.5
4 10	17.656	1.526	132.5	2338.6
5 0	18.895	1.579	135.5	2560.3
5 2	20.177	1.631	138.6	2795.9

D= transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
5 4	21.498	1.684	141.7	3045.5
5 6	22.863	1.736	144.6	3305.3
5 8	24.270	1.789	147.5	3578.9
5 10	25.718	1.842	150.3	3864.8
6 0	27.210	1.894	153.1	4165.3
6 2	28.743	1.947	155.9	4481.6
6 4	30.317	1.999	158.7	4811.9
6 6	31.933	2.052	161.5	5158.5
6 8	33.592	2.095	164.2	5516.6
6 10	35.292	2.157	166.9	5891.0
7 0	37.035	2.210	169.6	6283.5
7 4	40.646	2.315	174.8	7106.8
7 8	44.426	2.420	179.9	7993.0

D= transverse diam. ft. in.		a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
8	0	48.373	2.526	184.9	8944.0
8	4	52.487	2.631	189.8	9964.1
8	8	56.771	2.736	194.6	11050
9	0	61.222	2.841	199.5	12213
9	4	65.840	2.947	204.2	13444
9	8	70.628	3.052	208.7	14743
10	0	75.583	3.157	213.3	16125
10	6	83.330	3.315	220.1	18342
11	0	91.445	3.473	226.8	20738
12	0	108.839	3.788	239.4	26060

TABLE 5.—GIVING VALUES OF a AND r AND ALSO THE FACTORS $c\sqrt{r}$ AND $ac\sqrt{r}$. FOR CORRESPONDING DIAMETERS OF EGG-SHAPED SEWERS, FLOWING *one-third full depth*, GIVEN IN FIRST COLUMN.

These factors are to be used only where the value of n, that is the coefficient of roughness of lining of channel=.015, as in second class or rough-faced brickwork, well-dressed stone work, foul and slightly tuberculated iron, cement and terra cotta pipes with imperfect joints and in bad order.

Area of section of egg-shaped sewers flowing one-third full depth = $D^2 \times 0.284$.

Perimeter of section of egg-shaped sewer flowing one-third full depth = $D \times 1.3747$.

Hydraulic Lean depth of section of egg-shaped sewers flowing one-third full depth = $D \times 0.2066$.

$$v = c \sqrt{r} \times \sqrt{s}. \quad Q = av = ac \sqrt{r} \times \sqrt{s}.$$

D=transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
1 0	0.284	0.207	30.41	8.637
1 2	0.387	0.241	34.38	13.303
1 4	0.505	0.276	38.16	19.269
1 6	0.639	0.310	42.23	26.986
1 8	0.789	0.344	45.39	35.815
1 10	0.955	0.379	48.74	46.546
2 0	1.136	0.413	52.09	59.173
2 2	1.333	0.448	55.29	73.696
2 4	1.546	0.482	58.58	90.568
2 6	1.776	0.517	61.58	109.37
2 8	2.020	0.551	64.49	130.26
2 10	2.280	0.585	67.46	153.80
3 0	2.556	0.620	70.48	180.14

D= transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
3 2	2.848	0.654	73.24	208.58
3 4	3.156	0.689	75.98	239.79
3 6	3.479	0.723	78.63	273.54
3 8	3.818	0.758	81.31	310.44
3 10	4.173	0.792	84.03	350.67
4 0	4.544	0.826	86.61	393.55
4 2	4.931	0.861	88.98	438.75
4 4	5.333	0.895	91.60	488.50
4 6	5.751	0.930	94.08	541.04
4 8	6.185	0.964	96.57	597.29
4 10	6.635	0.999	99.10	657.53
5 0	7.100	1.033	101.3	719.27
5 2	7.581	1.068	103.7	785.86

D= transverse diam. ft. in.	a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
5 4	8.078	1.102	106.1	856.67
5 6	8.591	1.136	108.3	930.54
5 8	9.120	1.161	110.6	1008.7
5 10	9.664	1.205	112.9	1091.0
6 0	10.224	1.240	115.0	1175.8
6 2	10.800	1.274	117.3	1266.4
6 4	11.391	1.309	119.4	1359.8
6 6	11.999	1.343	121.5	1458.1
6 8	12.622	1.377	123.7	1561.0
6 10	13.261	1.412	125.8	1668.8
7 0	13.916	1.446	127.9	1779.4
7 4	15.273	1.515	131.9	2014.1
7 8	16.693	1.584	135.8	2266.7

D= transverse d am. ft. in.		a=area in square ft.	r=hydraulic mean depth in feet.	For velocity. $c\sqrt{r}$	For discharge $ac\sqrt{r}$
8	0	18.176	1.653	139.9	2542.7
8	4	19.722	1.722	143.7	2833.8
8	8	21.332	1.791	147.5	3146.2
9	0	23.004	1.859	151.3	3480.7
9	4	24.739	1.928	155.0	3834.7
9	8	26.538	1.997	158.6	4208.4
10	0	28.400	2.066	162.1	4604.7
10	6	31.311	2.169	167.5	5245.3
11	0	34.364	2.273	172.6	5932.1
12	0	40.892	2.479	183.1	7489.0

CATALOGUE

OF THE

SCIENTIFIC PUBLICATIONS

OF

D. VAN NOSTRAND COMPANY,

23 MURRAY STREET AND 27 WARREN STREET, N. Y.

A. B. C. CODE. (See Clausen-Thue.)

ABBOTT (A. V.). The Electrical Transmission of Energy. A Manual for the Design of Electrical Circuits. Second edition, revised. Fully illustrated. 8vo, cloth........................ .... $4 50

ABBOT (Gen'l HENRY L.). The Defence of the Seacoast of the United States. Lectures delivered before the U. S. Naval War College. 8vo, red cloth. 2 00

ADAMS (J. W.). Sewers and Drains for Populous Districts. Embracing Rules and Formulas for the dimensions and construction of works of Sanitary Engineers. Fifth edition. 8vo, cloth. 2 50

A1. CODE. (See Clausen-Thue.)

AIKMAN (C. M., Prof.). Manures and the Principles of Manuring. 8vo, cloth.................... .... 2 50

ALEXANDER (J. H.). Universal Dictionary of Weights and Measures, Ancient and Modern, reduced to the Standards of the United States of America. New edition, enlarged. 8vo, cloth 3 50

ALEXANDER (S. A.). Broke Down: What Should I Do? A Ready Reference and Key to Locomotive Engineers and Firemen, Round House Machinists, Conductors. Train Hands and Inspectors. With 5 folding plates 12mo, cloth..... .... 1 50

ALLEN (C. F.). Tables for Earthwork Computation. 8vo, cloth 1 50

ANDERSON (J. W.). The Prospector's Hand-book ;
A Guide for the Prospector a d Traveller in search
of eral-bearing or other Valuable Minerals. Seventh
edition, thoroughly revised and much enlarged. 8vo,
cloth...... .... 1 50

ANDERSON (WILLIAM). On the Conversion of
Heat into Work. A Practical Hand-book on Heat-
Engines. Third edition. Illustrated. 12mo, cloth. 2 25

ANDES (LOUIS). Vegetable Fats and Oils; their
Practical Preparation, Purification and Employment
for various purposes. Their Properties Adulteration
and Examination. A Hand-book for Oil Manufac-
turers and Refiners, Candle, Soap and Lubricating
Oil Manuf c ure s and the Oil and Fat Industry in
general. Transl ted from the German. With 94
illustrations. 8vo, cloth. 4 00

—— Animal Fats and Oils. Their Practical Production,
Purification and Uses for a great variety of purposes,
their Properties, Falsification and Examination. A
Hand-book for Manufacturers of Oil and Fat
Products. Soap and Ca dle Makers, Agriculturists,
Tanners, etc. Translated by Charles Salter. With
62 illustrations. 8vo, cloth... ....net 4 00

ARNOLD (Dr. R.). Ammonia and Ammonium
Compounds. A Practical Manual for Manufacturers,
Chemis s, Gas Engineers and Drysalters. Second
edition. 12mo, cloth.......................... ...... 2 00

ARNOLD (E.). Armature Windings of Direct Current
Dynamos. Extension and Application of a General
Winding Rule. Translated from the original German
by Francis B. DeGress, M. E. With numerous
illustrations........ ....(In Press.)

ATKINSON (PHILIP). The Elements of Electric
Lighting, including Electric Generation. Measure-
ment, St rage, and Distribution. Ninth edition.
Fully r vised and new matter added. Illustrated.
12mo, cloth.. .... 1 50

—— The Elements of Dynamic Electricity and Mag-
netism. Third edition. 120 illustrations. 12mo,
cloth ....,.......... 2 00

ATKINSON (PHILIP). Power Transmitted by Electricity and its Application by the Electric Motor, including Electric Railway Construction. New edition, thoroughly revised, and much new matter added. Illustrated   12mo, cloth.... .... 2 00

────── Elements of Static Electricity, with full description of the Holtz and Topler Machines and their mode of operating. Illustrated. 12mo, cloth 1 50

AUCHINCLOSS (W. S.). Link and Valve Motions Simplified. Illustrated with 29 woodcuts and 20 lithographic plates, together with a Travel Scale, and numerous useful tables, Thirteenth edition, revised. 8vo, cloth............................... 2 00

AXON (W. E. A.). The Mechanic's Friend. A Collection of Receipts and Practical Suggestions. 12mo, cloth 1 50

BACON (F. W.). A Treatise on the Richards, Steam-Engine Indicator, with directions for its use. By Charles T. Porter. Revised, with notes and large additions as developed by American practice; with an appendix containing useful formulæ and rules for engineers. Illustrated. Fourth edition. 12mo, cloth 1 00

BADT (F. B.). New Dynamo Tender's Hand-book. With 140 illustrations.   18mo, cloth............... 1 00

────── Bell Hangers' Hand-book. With 97 illustrations. Second edition. 18mo, cloth............... .... 1 00

────── Incandescent Wiring Hand-book. With 35 illustrations and five tables. Fifth edition. 18mo, cloth. 1 00

────── Electric Transmission Hand-book. With 22 illustrations and 27 tables. 18mo, cloth 1 00

BALE (M. P.). Pumps and Pumping. A Hand-book for Pump Users. 12mo, cloth. 1 00

BARBA (J.). The Use of Steel for Constructive Purposes. Method of Working, Applying, and Testing Plates and Bars With a Preface by A. L. Holley, C. E. 12mo, cloth 1 50

BARKER (ARTHUR H.). Graphic Methods of Engine Design. Including a Graphical Treatment of the Balancing of Engines. 12mo, cloth.... ..... 1 50

BARNARD (F. A. P.). Report on Machinery and Processes of the Industrial Arts and Apparatus of the Ex ct Sciences at the Paris Universal Exposition, 1867. 152 illustrations and 8 folding plates. 8vo, cloth 5 00

BARNARD (JOHN H.). The Naval Militiaman's Guide. Full leather, pocket form. 1 25

BARWISE (SIDNEY, M. D., London). The Purification of Sewage. Being a brief account of the Scientific Principles of Sewage Purification and their Practical Application. 12mo, cloth. Illustrated. 2 00

BAUMEISTER (R.). The Cleaning and Sewage of Cities. Adapted from the German with permission of the author. By J. M. Goodell, C. E. Second edition, revised and corrected, together with an additional appendix. 8vo, cloth. Illustrated....... 2 00

BEAUMONT (ROBERT). Color in Woven Design. With 32 Colored Plates and numerous original illustrations. Large 12mo......... .... 7 50

BEAUMONT, W. and **DUGALD CLERK.** Autocars and Horseless Carriages....... .....(In Press.)

BECKWITH (ARTHUR). Pottery. Observations on the Materials and Manufacture of Terra-Cotta, Stoneware, Fire-Brick, Porcelain, Earthenware, Brick, Majolica, and Encaustic Tiles. 8vo, paper. Second edition 60

BERNTHSEN (A.). A Text-Book of Organic Chemistry. Translated by George M'Gowan, Ph. D. Third English edition. Revised and extended by author and translator. Illustrated. 12mo, cloth....... 2 50

BERTIN (L. E.). Marine Boilers: Their Construction and Working, dealing more especially with Tubulous Boilers. Translated by Leslie S. Robertson, Upward of 250 illustrations. Preface by Sir William White. 8vo, cloth. Illustrated.... .... 7 50

BIGGS (C. H. W.). First Principles of Electricity and Magnetism. Being an attempt to provide an Elementary Book for those intending to enter the profession of Electrical Engineering. Second edition. 2mo, cloth. Illustrated.......................... 2 00

BLAKE (W. P.). Report upon the Precious Metals. Being Statistical Notices of the principal Gold and Silver producing regions of the world, represented at the Paris Universal Exposition. 8vo, cloth. 2 00

—— Ceramic Art. A Report on Pottery, Porcelain, Tiles, Terra-Cotta, and Brick. 8vo, cloth 2 00

BLAKESLEY (T. H.). Alternating Currents of Electricity. For the use of Students and Engineers. Third edition, enlarged. 12mo, cloth........ .. .... 1 50

BLOUNT (BERTRAM). Electro-Metallurgy ....
(In Press.)

BLYTH (A. WYNTER, M. R. C. S., F. C. S.). Foods : their Composition and Analysis. A Manual for the use of Analytical Chemists, with an Introductory Essay on the History of Adulterations, with numerous tables and illustrations. Fourth edition, revised and enlarged. 8vo, cloth 7 50

—— Poisons : their Effects and Detection. A Manual for the use of Analytical Chemists and Experts, with an Introductory Essay on the growth of Modern Toxicology. Third edition, revised and enlarged. 8vo, cloth............. .... 7 50

BODMER (G. R.). Hydraulic Motors ; Turbines and Pressure Engines, for the use of Engineers, Manufacturers and Students. Second edition, revised and enlarged. With 204 illustrations. 12mo, cloth...... 5 00

BOILEAU (J. T.). A New and Complete Set of Traverse Tables Showing the Difference of Latitude and Departure of every minute of the Quadrant and to five places of decimals. 8vo, cloth. 5 00

BOTTONE (S. R.). Electrical Instrument Making for Amateurs. A Practical Hand-book. With 48 illustrations. Fifth edition, revised. 12mo, cloth....... 50

—— Electric Bells, and all about them. A Practical Book for Practical Men. With more than 100 illustrations. 12mo, cloth. Fourth edition, revised and enlarged........ 50

——The Dynamo : How Made and How Used. A Book for Amateurs. Eighth edition. 12mo, cloth... 1 00

BOTTONE (S. R.). Electro Motors: How Made and How Used. A Hand-b ok for Amateurs and Practical Men. Second edition. 12mo, cl th   50

BONNEY (G. E.). The Electro-Platers' Hand-book. A Manual for Amateurs and Young Students on Electro-Metallurgy. 60 illustrations, 12mo, cloth.. 1 20

BOW (R. H.). A Treatise on Bracing. With its application to Bridges and other Structures of Wood or Iron. 156 illustrations. 8vo, cloth.................. 1 50

BOWSER (Prof. E. A.). An Elementary Treatise on Analytic Geometry. Embracing Plane Geometry, and an Introduction to Geometry of three Dimensions. 12mo, cloth. Nineteenth edition..... ..... 1 75

—— An Elementary Treatise on the Differential and Integral Calculus With numerous examples. 12mo, cloth. Sixteenth edition.... .... 2 25

—— An Elementary Treatise on Analytic Mechanics. With numerous examples. 12mo, cloth. Twelfth edition..... .... 3 00

—— An Elementary Treatise on Hydro-Mechanics. With numerous examples. 12mo, cloth Fifth edition.... ....•.... 2 50

—— A Treatise on Roofs and Bridges. With Numerous Ex rcises. Especially adapted for school use. 12mo, cloth. Illustrated........ ....net 2 25

—— Academic Algebra. Third edition. 12mo, cloth.. 1 25

—— College Algebra. Fourth edition. 12mo, cloth.. 1 75

—— Elements of Plane and Solid Geometry. 12mo, cloth. Second edition............................... . 1 40

BOWIE (AUG J., Jun., M. E.). A Practical Treatise on Hydraulic Mining in California. With Description of the Use and Construction of Ditches, Flumes, Wrought-iron Pipes and Dams ; Flow of Water on Heavy Grades, and its Applicability, under High Pressure, o Mining. Fifth edition. Small quarto, cloth. Illustrated............................ ...... 5 00

BURGH (N. P.). Modern Marine Engineering, applied to Paddle and Screw Propulsion. Consisting of 36 colored plates, 259 practical woodcut illustrations,

and 403 pages of descriptive matter. The whole being an exposition of the present practice of James Watt & Co., J. & G. Rennie, R. Napier & Son-, and other celebrated firms. Thick quarto, half morocco. 10 00

BURT (W. A.). Key to the Solar Compass, and Surveyor's Companion. Comprising all the rules necessary for use in the field ; also description of the Linear Surveys and Public Land System of the United States. Notes on the Barometer, Suggestions for an Oufit for a Survey of Four Months, etc. Fifth edition. Pocket-book form, tuck 2 50

CALDWELL, (G. C.), and A. A. BRENEMAN. Manual of Introductory Chemical Practice. For the use of Students in Colleges and Normal and High Schools. Fourth edition, revised and corrected. 8vo, cloth Illustrated.......... .... 1 50

CAMPIN (FRANCIS). On the Construction of Iron Roofs. A theoretical and Practical Treatise, with wood cuts and Plates of Roofs recently executed. 8vo, cloth............. .... 2 00

CARTER (E. T.). Motive Power and Gearing for Electrical Machinery. A Treatise on the Theory and Practice of the Mechanical Equipment of Power Stations for Electric supply and for Electic Traction. 8vo, cloth. Illustrated.......... .... 5 00

CHAMBER'S MATHEMATICAL TABLES, consisting of logarithms of Numbers 1 to 108,000, Trigonometrical, Nautical, and other tables. New edition. 8vo, cloth..................... .... 1 75

CHAUVENET (Prof. W.). New Method of Correcting Lunar Distances. and Improved Method of Finding the Error and Rate of a Chronometer, by Equal Altitudes. 8vo, cloth 2 00

CHRISTIE (W. WALLACE). Chimney Design and theory. A Book for Engineers and Architects, with numerous half-tone illustrations and plates of famous chimneys. 12mo, cloth.......... .... 3 00

CHURCH (JOHN A.). Notes of a Metallurgical Journey in Europe. 8vo, cloth.... .... 2 00

CLARK D. (KINNEAR, C. F.). A Manual of Rules, Tables and Data for Mechanical Engineers. Based

on the most recent investigations. Illustrated with
numerous diagrams. 1,012 pages. 8vo, cloth.   Sixth
edition 5 00
Half morocco 7 50

CLARK D. (KINNEAR, C. E.). Fuel ; its Combust-
ion and Economy, consisting of abridgements of
Treatise on the Combustion of Coal. By C. W.
Williams ; and the Economy of Fuel, by T. S.
Prideaux. With extensive additions in recent prac-
tice in the Combustion and Economy of Fuel. Coal,
Coke, Wood, Peat, Petroleum, etc. Fourth edition.
12mo, cloth.... ... . 1 50

—— The Mechanical Engineer's Pocket-book of Tables,
Formulæ, Rules and Data. A Handy Book of
Reference for Daily Use in Engineering Practice.
16mo, morocco. Second edition............ ...... 3 00

——Tramways, their Construction and Working, em-
bracing a comprehensive history of the system,
with accounts of the various modes of traction, a
description of the varieties of rolling stock, and
ample details of Cost and Working Expenses.
Second edition. Re-written and greatly enlarged,
with upwards of 400 illustrations. Thick 8vo. cloth. 9 00

—— The Steam Engine. A Treatise on Steam Engines
and Boilers ; comprising the Principles and Practice
of the Combustion of Fuel, the Economical Genera
tion of Steam, the Construction of Steam Boilers, and
the Principles, Construction and Performance of
Steam Engines, Stationary, Portable, Locomotive
and Marine, exemplified in Engines and Boilers of
recent date. 1,300 figures in the text, and a series
of folding plates drawn to scale. 2 vols. 8vo, cloth.15 00

CLARK (JACOB M.). A new System of Laying Out
Railway Turn-outs instantly, by inspecion from
Tables. 12mo, leatherette... ... . 1 00

CLAUSEN-THU   (W.). The A. B. C. Universal Com-
mercial Electric Telegraphic Code . especially
adapted for the use of Financiers, Merchants, Ship-
owners, Brokers, Agent, etc. Fourth editon 8vo,
cloth. 5 00

—— The A1 Universal Commercial Electric Telegraphic
Code. Over 1,240 pp., and nearly 90,000 variations.
8vo, cloth....................... .... 7 50

CLEEMANN (THOS. M.). The Railroad Engineer's Practice. Being a Short but Complete Description of the Duties of the Young Engineer in the Preliminary and Location Surveys and in Construction. Fourth edition. Revised and enlarged. Illustrated. 12mo, cloth 1 50

CLERK (DUGALD). Auto-cars or Horseless Vehicles. About 300 pp., 60 illustrations..... .. ....(In Press.)

CLEVENGER (S. R.). A Treatise on the Method of Government Surveying as prescribed by the U. S. Congress and Commissioner of the General Land Office, with complete Mathematical, Astronomical and Practical Instructions for the use of the United States Surveyors in the field. 16mo, morocco.... ... 2 50

COFFIN (Prof. J. H. C.). Navigation and Nautical Astronomy. Prepared for the use of the U. S. Naval Academy. New Edition. Revised by Commander Charles Belknap. 52 woodcut illustrations. 12mo, cloth ....net. 3 50

COLE (R. S., M. A.). A Treatise on Photographic Optics. Being an account of the Principles of Optics, so far as they apply to Photography. 12mo, cloth, 103 illustrations and folding plates........... 2 50

COLLINS (JAS. E.). The private Book of Useful Alloys, and Memoranda for Goldsmiths, Jewelers, etc. 18mo, cloth 50

CORNWALL (Prof. H. B.). Manual of Blow-pipe Analysis, Qualitative and Quantitative. With a Complete System of Descriptive Mineralogy. 8vo, cloth. With many illustrations...................... 2 50

CRAIG (B. F.). Weights and Measures. An Account of the Decimal System, with Tables of Conversion for Commercial and Scientific Uses. Square 32mo, limp cloth.............. 50

CROCKER (F. B.). Electric Lighting. A Practical Exposition of the Art, for use of Engineers. Students, and others interested in the Installation or Operation of Electrical Plants Second edition. Revised. 8vo, cloth. Vol. 1. The Generating Plant ..... 3 00 Vol. 2...... .... (In Press.)

CROCKER, (F. B.), and S. S. WHEELER. The Practical Management of Dynamos and Motors. Fourth edition (eighth thousand). Revised and enlarged. With a special chapter by H. A. Foster. 12mo, cloth. Illustrated........................ 1 00

CUMMING (LINNÆUS, M. A.). Electricity treated Experimentally. Fo the use of Schools and Students New edition. 12mo, cloth............. .... 1 50

DAVIES (E. H.). Machinery for Metalliferous Mines. A Practical Treatise f. r Mining Engineers. Metallurgists and Manufacturers. With upwards of 300 illustrations. 8vo, cloth 5 00

DAVIS (JOHN W., C. E.). Formulæ for the Calculation of Railroad Excavation and Embankment, and for finding Average Haul. Second edition. Octavo, half roan.. .... 1 50

DAY (CHARLES). The Indicator and its Diagrams. With Chapters on Engine and Boiler Testing; Including a Table of Piston Constants compiled by W. H. Fowler. 12mo, cloth. 125 illustrations........ 2 00

DERR (W. L.). Block Signal Operation. A Practical Manual. Oblong, cloth............................. 1 50

DIXON (D. B.). The Machinist's and Steam Engineer's Practical Calculator. A Compilation of Useful Rules and Problems arithmetically solved, together with General Information applicable to Shop-Tools, Mill Gearing, Pulleys and Shafts, Steam-Boilers and Engines. Embracing valuable Tables and Instruction in Screw cutting, Valve and Link Motion, etc. 16mo, full morocco, pocket form.................... 1 25

DODD (GEO). Dictionary of Manufactures, Mining, Machinery, and the Industrial Arts. 12mo, cloth ... 1 50

DORR (B. F). The Surveyor's Guide and Pocket Table Book. 18mo, morocco flaps. Third edition... 2 00

DRAPER (C. H.). An Elementary Text Book of Light, Heat and Sound, with Numer us Examples. Fourth edition. 12mo, cloth. Illustrated.. .... 1 00

——— Heat and the Principles of Thermo-Dynamics. With many illustrations and numerical examples. 12mo, cloth................................. 1 50

DUBOIS (A. J.). The New Method of Graphic Statics. With 60 illustrations. 8vo, cloth. ... 1 50

EDDY (Prof. H. T.). Researches in Graphical Statics. Embracing New Constructions in Graphical Statics. a New General Method in Graphical Statics, and the Theory of Internal Stress in Graphical Statics. 8vo, cloth 1 50

—— Maximum Stresses under Concentrated Loads. Treated graphically. Illustrated. 8vo, cloth....... 1 50

EISSLER (M.). The Metallurgy of Gold ; a Practical Treatise on the Metallurgical Treatment of Gold-Bearing Ores, including the Processes of Concentration and Chlorination, and the Assaying, Melting and Refini g of Gold. Fourth Edition, revised and greatly enlarged. 187 illustrations. 12mo, cloth 5 00

——The Metallurgy of Silver ; a Practical Treatise on the Amalgamation, Roasting and Lixivation of Silver Ores, including the As a ing. Melting and Refining of Silver Bullion. 124 illustrations. Second edition, enlarged, 12mo, cloth 4 00

——The Metallurgy of Argentiferous Lead ; a Practical Treatise on the Smelting of Silver Lead Ores and the Refining of Lead Bullion. Including Reports on Various Smelting Establishments and Descriptions of Modern Smelting Furnaces and Plants in Europe and America. With 183 illustrations. 8vo, cloth 5 00

—— Cyanide Process for the Extraction of Gold and its Practical Application on the Witwatersrand Gold Fields in South Africa. Second edition. Enlarged. 8vo, cloth. Illustrations and folding plates 3 00

—— A Hand-book on Modern Explosives. being a Practical Treatise on the Manufacture and use of Dynamite, Gun Cotton, Nitro-Glycerine and other Explosive Compounds, including the manufacture of Collodion-Cotton. with chapters on explosives in practical application. Second edition, enlarged with 150 illustrations. 12mo, cloth 5 00

ELIOT (C. W.), and STORER (F. H.). A compendious Manual of Qualitative Chemical Analysis. Revised with the co-operation of the authors, by Prof. William R. Nichols. Illustrated. Nineteenth edition, newly revised by Prof. W. B. Lindsay, 12mo. cloth.............. .... 1 25

ELLIOT (Maj. GEO. H.). European Light-House Systems. Being a Report of a Tour of Inspection made in 1873. 51 engravings and 21 woodcuts. 8vo, cloth 5 00

ELLISON, (LEWIS M.). Practical Application of the Indicator. With reference to the adjustment of Valve Gear on all styles of Engines. Second edition, revised. 8vo. cloth, 100 illustrations 2 00

EVERETT (J. D.). Elementary Text book of Physics. Illustrated. Seventh edition 12mo, cloth 1 50

EWING (Prof. A. J.). The Magnetic Induction in Iron and other metals. 159 illustrations. 8vo, cloth 4 00

FANNING (J. T.). A Practical Treatise on Hydraulic and Water-Supply Engineering. Relating to the Hydrology, Hydro-dynamics, and Practical Construction of Water-Works in North America. 180 illustrations. 8vo, cloth. Fourteenth edition, revised. enlarged, and new tables and illustrations added. 650 pages................. .... 5 00

FISH (J. C. L.). Lettering of Working Drawings. Thirteen plates, with descriptive text. Oblong, 9x12½, boards..................... .... 1 00

FISKE (Lieut. BRADLEY A., U. S. N.). Electricity in Theory and Practices or, The Elements of Electrical Engineering. Eighth edition. 8vo, cloth 2 50

FISHER (H. K. C. and DARBY, W. C.). Students' Guide to Submarine Cable Testing. 8vo, cloth...... 2 50

FISHER (W. C.). The Potentiometer and its Adjuncts. 8vo, cloth...... .... 2 25

FLEISCHMANN (W.). The Book of the Dairy. A Manual of the Science and Practice of Dairy Work. Translated from the German, by C. M. Aikman and R. Patrick Wright. 8vo, cloth.... .... 4 00

FLEMING (Prof. J. A.). The Alternate Current Transformer in Theory and Practice. Vol. 1—The Induction of Electric Currents; 611 pages. New edition. Illustrated. 8vo, cloth......... .... 5 00
Vol. 2. The Utilization of Induced Currents. Illustrated. 8vo, cloth 5 00

—— Electric Lamps and Electric Lighting. Being a course of four lectures delivered at the Royal Institution, April-May, 1894. 8vo, cloth, fully illustrated 3 00

FLEMING (Prof. J. A.). Electrical Laboratory Notes and Forms, Elementary and advanced. 4to, cloth, illustrated.... , ... 5 00

FOLEY (NELSON), and THOS. PRAY, Jr. The Mechanical Engineers' Reference Book for Machine and Boiler Construction, in 2 parts. Part 1—General Engineering Data. Part 2—Boiler Construction. With fifty-one plates and numerous illustrations, specially drawn for this work. Folio, half mor ...25 00

FORNEY (MATTHIAS N.). Catechism of the Locomotive. Second edition, revised and enlarged. Forty-sixth thousand. 8vo, cloth................... 3 50

FOSTER (Gen. J. G., U. S. A.). Submarine Blasting in Boston Harbor, Massachusetts. Removal of Tower and Corwin Rocks. Illustrated with 7 plates. 4to, cloth........... .... 3 50

FOSTER (H. A.). Electrical Engineers' Pocket Book. 1000 pages with the collaboration of Eminent Specialists .. .. (In press)

FOSTER (JAMES). Treatise on the Evaporation on Saccharine, Chemical and other Liquids by the Multiple System in Vacuum and Open Air. Second edition. Diagrams and large plates. 8vo, cloth.... 7 50

FOWLER. Mechanical Engineers' Pocket Book for 1900..................... .... 1 00

FOX (WM.), and C. W. THOMAS, M. E. A Practical Course in Mechanical Drawing. 12mo, cloth with plates 1 25

FRANCIS (JAS. B., C. E.). Lowell Hydraulic Experiments. Being a selection from experiments on Hydraulic Motors, on the Flow of Water over Weirs, in open Canals of uniform rectangular section, and through submerged Orifices and diverging Tubes. Made at Lowell, Mass. Fourth edition, revised and enlarged, with many new experiments, and illustrated with 23 copper-plate engravings. 4to, cloth................ ....15 00

FROST (GEO. H.). Engineer's Field Book. By C. S. Cross. To which are added seven chapters on Railroad Location and Construction. Fourth edition. 12mo, cloth 1 00

FULLER (GEORGE W.). Report on the Investigations into the Purification of the Ohio River Water at Louisville, Kentucky, made to the President and Directors of the Louisville Water Company. Published under agreement with the Directors. 4to, cloth. 3 full page plates..........................net 10 00

GEIPEL (WM.), and KILGOUR, (M. H.) A Pocketbook of Electrical Engineering Formula. Illustrated. 18mo, morocco........... ...... 3 00
Large paper edition, wide margins. 8vo, morocco, gilt edges 5 00

GERBER (NICHOLAS). Chemical and Physical Analysis of Milk, Condensed Milk and Infant's Milk-Food. 8vo, cloth.... .... 1 25

GIBBS (WILLIAM F.). Lighting by Acetylene, Generators. Burners and Electric Furnaces. With 66 illustrations. Second edition revised. 12mo, cloth.. 1 50

GILLMORE (GEN. Q. A.). Treatise on Limes, Hyraulic Cements, and Mortars. Papers on Practical Engineering, United States Engineer Department, No 9, containing Reports of numerous Experiments conducted in New York City during the years of 1858 to 1861, inclusive. With numerous illustrations. 8vo cloth.... .... 4 00

—— Practical Treatise on the Construction of Roads. Streets. and Pavements, with 70 illustrations. 12mo, cloth. 2 00

—— Report on Strength of Building Stones in the United States, etc. 8vo, illustrated cloth 1 00

GOLDING (HENRY A.). The Theta-Phi Diagram. Practically applied to Steam, Gas, Oil and Air Engines. 12mo, cloth. Illustrated. ....net 1 25

GOODEVE (T. M.). A Text-Book on the Steam Engine. With a Supplement on Gas-Engines. Twelfth Edition, enlarged. 143 illustrations. 12mo, cloth... 2 00

GORDON (J. E. H.). School Electricity. Illustrations. 12mo, cloth....................... .... 2 00

GORE (G., F. R. S.). The Art of Electrolytic Separation of Metals, etc. (Theoretical and Practical.) Illustrated. 8vo, cloth.... .... 3 50

—— Electro Chemistry Inorganic. Third Edition. 8vo, cloth.. 80

GOULD (E. SHERMAN). The Arithmetic of the Steam Engine. 8vo, cloth...... .. .. 1 00

GRIFFITHS (A. D., Ph. D.). A Treatise on Manures, or the Philosophy of Manuring. A Practical Hand-Book for the Agriculturist, Manufacturer and Student. 12mo, cloth........... .... 3 00

GROVER (FREDERICK). Practical Treatise on Modern Gas and Oil Engines. 8vo, cloth. Illustrated 2 00

GURDEN (RICHARD LLOYD). Traverse Tables: computed to 4 places Decimals for every ° of angle up to 100 of Distance. For the use of Surveyors and Engineers. New Edition. Folio, half morocco. .. 7 50

GUY ARTHUR (F.). Electric Light and Power, giving the Result of Practical Experi-nce in Central Station Work. 8vo, cloth. Illustrated.. .... 2 50

HAEDER (HERMAN C. E.). A Hand book on the Steam Engine. With especial reference to small and medium sized engines. English edition re-edited by the author from the second German edition. and translated with considerable additions and altera-tions by H. H. P. Powels. 12mo, cloth. Nearly 1100 illustrations.... .... 3 00

HALL (WM. S. Prof.). Elements of the Differential and Integral Calculus. Second edition. 8vo, cloth. Illustrated............................... ....net 2 25

HALSEY (F. A.). Slide Valve Gears; an Explanation of the action and Construction of Plain and Cut-off Slide Valves. Illustrated. 12mo, cloth. Sixth edition...... .... 1 50

—— The Use of the Slide Rule. Illustrated with diagrams and folding plates. 16mo, boards......... 50

HAMILTON (W. G.). Useful Informa tion for Rail-way Men. Tenth Edition. revi-ed and enlarged. 562 pages, pocket form. Morocco, gilt............. 2 00

HANCOCK (HERBERT). Text Book of Mechan-ics and Hydrostatics, with over 500 diagrams. 8vo, cloth 1 75

HARRISON (W. B.). The Mechanics' Tool Book. With Practical Rules and Suggestions for use of Machinists, Iron-Workers, and others. Illustrated with 44 engravings. 12mo, cloth................... 1 50

HASKINS (C. H.). The Galvanometer and its Uses. A M nual 'or Electricians and Students. Fourth edition. 12mo c.o h **1 50**

HAWKE (WILLIAM H.). The Premier Cipher Telegraphic Code Containing 100,000 Words and Phrases. The most complete and most useful general code) et published. 4to, cloth **5 00**

——— 100.000 Words; Supplement to the Premier Code. All the words are select d from the official vocabulary. Oblong qua to, cloth **4 20**

HAWKINS (C. C.) and WALLIS (F.). Th Dynamo; its The ry, Design and Manufacture. 190 illustrati ns, 12mo, cloth...:..   ....   **3 00**

HAY (ALFRED). Principles of Alternate-Current Working 12mo, cloth, il ustra ed **2 00**

HEAP (Major D. P., U. S. A.). Electrical Appliances of the Present Day. Report f the Paris Electrical Exposition of 1881 250 illustrations. 8vo, cloth..... **2 00**

HEAVISIDE (OLIVER). Elect omagnetic Theory. 8vo, c oth, two volumes ach....................... **5 00**

HENRICI (OLAUS). Skeleton Structures. Appli d to the Building of S eel and Iron B idges. Illustrated **1 50**

HERRMANN (GUSTAV). The Graphical Statics of M chanism. A Guide for t e Use of Machinists, Architec s, and Engineers; and also a Tex -book for Technical Schools. Transl ted a d annotated by A. P. Smith, M. E. 12 t.o, cloth, 7 folding plates. Third Edition..................... ....'......... **2 00**

HERMANN (FELIX). Painting on Glass and Porcelai nd Enamel Pai ing. On the Basis f Pe sonal Practical Expe ience f the ondition of the Art up to date   Translated by Charles Salter. Second greatly enlarged edition. 8vo, clo h, Illustrations, net.................... . ... **3 50**

HEWSON (WM.). Princ ples and Prac i e of Embanki g L nds f m River Floods, as ap lied o the Levees of the Mississi pi. 8vo, cloth............... **2 00**

HILL (JOHN W.). Th Purification of Public Water Supplies. Illustrat d with v uable Tables, Diagrams and Cuts 8vo, clot , 304 pa es............. **3 00**

——— The Inter; retati n of Water Analyses..(In Press)

HOBBS (W. R. P.). The Arithmetic of Electrical Measur ments with numerous examples. Fully Worked, 12mo, cloth .... .50

HOFF (WM. B., Com. U. S. Navy.). The Avoidance of Collisions at Sea. 18mo, morocco .... .75

HOLLEY (ALEXANDER L.). Railway Practice. American and European Railway practice in the Economical Generation of Steam. 77 lithographed plates. Folio, cloth 12 00

HOLMES (A. BROMLEY). The Electric Light Popularly Explained. Fifth Edition. Illustrated. 12mo, paper .... .40

HOPKINS (NEVIL M.). Model Engines and small Boats. New Methods of Engine and Boiler Making with a chapter on Elementary Ship Design and Construction. 12mo, cloth 1 25

HOSPITALIER (E.). Polyphased Alternating Currents. Illustrated. 8vo, cloth. 1 40

HOWARD (C. R.). Earthwork Mensuration on the Basis of the Prismoidal Formulae. Containing Simple and Labor-saving Methods of obtaining Prismoidal Contents directly from End Areas. Illustrated by Examples and accompanied by Plain Rules for Practical Uses. Illustrated. 8vo, cloth... ..... 1 50

HUMBER (WILLIAM, C. E.). A Handy Book for the Calculation of Strains in Girders and Similar Structures, and their Strength ; Consisting of Formulae and Corresponding Diagrams, with numerous details for practical application, etc. Fourth Edition. 12mo, cloth...... .... 2 50

HURST (GEORGE H.). Colour; A Hand-book of the Theory of Colour. Containing ten coloured plates and 72 diagrams. 8vo, cloth. Illustrated. Price.... 2 50

—— Lubricating Oils, Fats and Greases. Their Origin, Preparation, Properties, Uses and Analysis. 313 pages, with 65 illustrations. 8vo, cloth 3 00

—— Soaps; A Practical Manual of the Manufacture of Domestic, Toilet and other Soaps. Illustrated with 66 Engravings. 8vo, cloth... .... 5 00

HUTCHINSON (W. B.). Patents and How to Make Money out of Them. Member of New York Bar. 12mo, cloth. New York, 1899 .... 1 25

HUTTON (W. S.). Steam Boiler Construction. A Practical Hand-book for Engineers, Boiler Makers and Steam Users. Containing a large collection of rules and data relating to recent practice in the design, construction, and working of all kinds of stationary, locomotive and marine steam boilers. With upwards of 500 illustrations. Third edition. Carefully revised and much enlarged. 8vo, cloth... 6 00

—— Practica Engineer's Hand-book, Comprising a treatise on Modern Engines and Boilers, Marine, Locomotive and Stationary. Fourth edition. Carefully revised with additions. With upwards of 570 illustrations. 8vo, cloth............................ 7 00

—— The Works' Manager's Hand-book of Modern Rules, Tables, and Data for Civil and Mechanical Engineers. Millwrights and Boiler Makers, etc., etc. With upwards of 150 illustrations. 8vo, cloth. Carefully revised, with additions. 8vo, cloth....... 6 00

INNES (CHARLES H.). Problems in Machine Design. For the Use of Students, Draughtsmen and others. 12mo, cloth... 1 50

—— Centrifugal Pumps, Turbines and Water Motors. Including the Theory and Practice of Hydraulics 12mo, cloth................................ .. .. 1 50

ISHERWOOD (B. F.). Engineering Precedents for Steam Machinery. Arranged in the most practical and useful manner for Engineers. With illustrations. 2 vols. in 1. 8vo, cloth............... .. ... 2 50

JAMESON (CHARLES D.). Portland Cement. Its Manufacture and Use. 8vo, cloth.......... .... 1 50

JAMIESON (ANDREW C. E.). A Text-Book on Steam and Steam Engines. Specially arranged for the use of Science and Art, City and Guilds of London Institute, and other Engineering Students. Tenth edition. Illustrated. 12mo, cloth.................. 3 00

—— Elementary Manual on Steam and the Steam Engine. Specially arranged for the use of First-Year Science and Art, City and Guilds of London Institute, and other Elementary Engineering Students. Third edition. 12mo, cloth 1 40

JANNETTAZ (EDWARD). A Guide to the Determination of Rocks: being an Introduction to Lithology. Translated from the French by G W. Plympton, Professor of Physical Science at Brooklyn Polytechnic Institute. 12mo, cloth 1 50

JOHNSTON, Prof. J. F. W., and CAMERON, Sir CHAS. Elements of Agricultural Chemistry and Geology. Seventeenth edition. 12mo, cloth 2 60

JOYNSON (F. H.). The Metals used in Construction. Iron, Steel, Bessemer Metal, etc. Illustrated. 12mo, cloth 75

—— Designing and Construction of Machine Gearing. Illustrated. 8vo, cloth.. .... 2 00

KANSAS CITY BRIDGE (THE.) With an Account of the Regimen of the Missouri River and a Description of the Methods used for Founding in that River. By O. Chanute, Chief Engineer, and George Morrison, Assistant Engineer. Illustrated with 5 lithographic views and 12 plates of plans. 4to, cloth... 6 00

KAPP (GISBERT C. E.). Electric Transmission of Energy and its Transformation, Subdivision, and Distribution. A Practical Hand-book. Fourth edition, revised. 12mo, cloth............. .... 3 50

—— Dynamos, Alternators and Transformers. 138 Illustrations. 12mo, cloth.......... .... 4 00

KEMPE (H. R.). The Electrical Engineer's Pocket-Book of Modern Rules, Formulæ, Tables and Data. Illustrated. 32mo, mor. gilt......................... 1 75

KENNELLY (A. E.). Theoretical Elements of Electro Dynamic Machinery. 8vo, cloth...... .... 1 50

KILGOUR, M. H., SWAN, H., and BIGGS, C. H. W. Electrical Distribution; its Theory and Practice. 174 Illustrations. 12mo, cloth....................... 4 00

KING (W. H.). Lessons and Practical Notes on Steam. The Steam Engine, Propellers, etc., for Young Marine Engineers, Students, and others. Revised by Chief Engineer J. W. King, United States Navy. Nineteenth edition, enlarged. 8vo, cloth .. 2 00

KINGDON (J. A.). Applied Magnetism. An introduction to the Design of Electromagnetic Apparatus. 8vo, cloth................ .... 3 00

KIRKALDY (WM. G.). Illustrations of David Kirkaldy's System of Mechanical Testing, as Originated and Carried On by him during a Quarter of a Century. Comprising a Large Selection of Tabulated Results, showing the Strength and other Properties of Materials used in Construction with explanatory Text and Historical Sketch. Numerous engravings and 25 lithographed plates. 4to, cloth....................20 00

KIRKWOOD (JAS. P.). Report on the Filtration of River Waters for the supply of Cities, as practised in Europe, made to the Board of Water Commissioners of the City of St. Louis. Illustrated by 30 double-plate engravings. 4to, cloth......................... 7 50

LARRABEE (C. S.). Cipher and Secret Letter and Telegraphic Code, with Hog's Improvements. The most perfect Secret Code ever invented or discovered. Impossible to read without the key. 18mo, cloth   60

LAZELLE (H. M.). One Law in Nature. A New Corpuscular Theory comprehending Unity of Force, Identity of Matter, and its Multiple Atom Constitution, etc. 12mo, cloth................................. 1 50

LEASK (A. RITCHIE). Breakdowns at Sea and How to Repair Them. With eighty-nine Illustrations. 8vo, cloth. Second edition.................. 2 00

—— Triple and Quadruple Expansion Engines and Boilers and their Management. With fifty-nine illustrations. Third edition, revised. 12mo, cloth.. 2 00

—— Refrigerating Machinery : Its Principles and Management. With sixty-four illustrations. 12mo, cloth 2 00

LECKY (S. T. S.). "Wrinkles" in Practical Navigation. With 130 illustrations. 8vo, cloth. Ninth edition, revised..................................... 8 40

LEVY (C. L.). Electric Light Primer. A Simple and Comprehensive Digest of all of the most important facts connected with the running of the dynamo, and electric lights, with precautions for safety. For the use of persons whose duty it is to look after the plant 8vo, paper..................................   50

LIVACHE (ACH., Ingenieur Civil Des Mines).
The Manufacture of Varnishes, Oil Crushing, Refining and Boiling and Kindred Industries. Translated from the French and greatly extended, by John Geddes McIntosh. 8vo, cloth. Illustrated......net 5 00

LOCKE (ALFRED G., and CHARLES G.) A Practical Treatise on the Manufacture of Sulphuric Acid. With 77 Constructive Plates drawn to scale Measurements, and other Illustrations. Royal 8vo, cloth.10 00

LOCKERT (LOUIS). Petroleum Motor-Cars. 12mo, cloth 1 50

LOCKWOOD (THOS. D.). Electricity, Magnetism, and Electro-Telegraphy. A Practical Guide for Students, Operators, and Inspectors. 8vo, cloth. Third edition... .... 2 50

—— Electrical Measurement and the Galvanometer ; its Construction and Uses. Second edition. 32 illustrations. 12mo, cloth...... .... 1 50

LODGE (OLIVER J.). Elementary Mechanics, including Hydrostatics and Pneumatics. Revised edition. 12mo, cloth..... .... 1 50

LORING (A. E.). A Hand-book of the Electro-Magnetic Telegraph. Paper boards...................... 50
Cloth. 75
Morocco.. 1 00

LUCE (Com. S. B.). Text-Book of Seamanship. The Equipping and Handling of Vessels under Sail or Steam. For the use of the U. S. Naval Academy. Revised and enlarged edition, by Lt. Wm. S. Benson. 8vo, cloth... ... .10 00

LUNGE (GEO.). A Theoretical and Practical Treatise on the Manufacture of Sulphuric Acid and Alkali with the Collateral Branches. Vol. I. Sulphuric Acid, Second edition, revised and enlarged. 342 illustrations. 8vo, cloth......... ....15 00
Vol. II. Second edition, revised and enlarged. 8vo, cloth...16 80
Vol III. 8vo, cloth. New edition, 1896....... ......15 00

LUNGE. (GEO.), and HURTER, F. The Alkali Maker's Pocket-Book. Tables and Analytical Methods for Manufacturers of Sulphuric Acid, Nitric Acid, Soda, Potash and Ammonia. Second edition. 12mo, cloth 3 00

LUQUER (LEA McILVAINE, Ph. D.). Minerals in Rock Sections. The Practical Method of Identifying Minerals in Rock Sections with the microscope, Especially arranged for Students in Technical and Scientific Schools. 8vo. cloth. Illustrated..net 1 50

MACCORD (Prof. C. W.). A Practical Treatise on the Slide-Valve by Eccentrics, examining by methods the action of the Eccentric upon the Slide-Valve, and explaining the practical processes of laying out the movements adapting the Valve for its various duties in the Steam Engine. Second edition. Illustrated. 4to, cloth.................................... 2 50

MAGUIRE (Capt. EDWARD. U. S. A.). The Attack and Defence of Coast Fortifications. With Maps and Numerous Illustrations. 8vo, cloth...... 2 50

MAGUIRE (WM. R.). Domestic Sanitary Drainage and Plumbing Lectures on Practical Sanitation. 332 illustrations. 8vo..... .... 4 00

MARKS (EDWARD C. R.). Mechanical Engineering Materials: their Properties and Treatment in Construction. 12mo, cloth. Illustrated............... 60

—— Notes on the Construction of Cranes and Lifting Machinery. 12mo, cloth... .... 1 00

MARKS (G. C.). Hydraulic Machinery Employed in the Concentration and Transmission of Power. 12mo, cloth................ .... 1 25

MAVER (WM.). American Telegraphy: Systems Apparatus, Operation. 450 illustrations. 8vo, cloth. 3 50

MAYER (Prof. A. M.). Lecture Notes on Physics. 8vo, cloth.. 2 00

McCULLOCH (Prof. R. S.). Elementary Treatise on the Mechanical Theory of Heat, and its application to Air and Steam Engines. 8vo, cloth......... 3 50

McNEILL (BEDFORD). McNeill's Code. Arranged to meet the requirements of Mining, Metallurgical and Civil Engineers, Directors of Mining, Smelting and other Companies, Bankers, Stock and Share Brokers, Solicitors, Accountants, Financiers, and General Merchants. Safety and Secrecy. 8vo, cloth. 6 00

MERRILL (Col. WM. E., U. S. A.). Iron Truss Bridges for Railroads The method of caicul ting strain in Trusses, with a careful compar son of the mo t pr mine t Trusses, in reference t economy in combi ation, tc. Illustrated. 4to, cloth. Fourth Editi n 5 00

METAL TURNING. By a Foreman Pattern Maker. Illustrated ith 81 ngravi gs. 12mo, cloth 1 50

MINIFIE (WM.). Mechanical D awing. A Textbo k f Geometrical Draw ng for the use of Mechanics and Schools, in which he Definitions and Rules of Geo try re fami iarly explained; the Practical Problems are arranged from the most simple to the more complex, and in heir description technicalities are avoid d as mu h as possible. With illustrations for Dr w ng Pl ns Sec ons and Elevations of Railwa s an Machinery; an Introduction to Isometric l Draw g, a d an Essay on Linea Perspective a d Shadows Illustrated wit over 200 diagrams engraved on steel. Ninth t ousand. With a appencix on the Theory and A plication of Colors. 8vo, clotu 4 00

—— Geom trical Drawing. Abridged from the Octavo dition, for the us of schools. Illus rate i wit 48 steel plates. Ninth edition. 12mo, cloth 2 00

MODERN METEOROLOGY. A Series of Six Lectu es, d livered under the aus ices of the Meteorological Socie-ty in 1870. Illustrated. 12mo, cloth . 1 50

MOREING (C. A.), and NEAL (THOMAS). Te e-graphic Mining Co e Alpha etically arranged. Second edition. 8vo, cloth........................ .... 8 40

MORRIS (E.). Easy Rules for the Measurement of Earthworks by means f the Prismoidal Formula. 8vo, cloth. Illustrated...... .... 1 50

MOSES (ALFRED J.), and PARSONS, C. L. Elements of Minera ogy. Crystallography and Blowpipe Analysis from a practical standpoint. Second thousand. 8vo, cloth. 366 illustrations...... ...net 2 00

MOSES (ALFRED J.). The Characters of Crystals. An Introduction to Physical Crystallography, co taining 321 Illustrations and Diagrams. 8vo, 211 pp...net 2 00

MOELLER (F. C. G.). Krupp's Steel Works. With 88 illustrations. By Felix Schmidt and Montan. Authorized Translation from the German. 4to, cloth................................. .....(In Press.)

MULLIN (JOSEPH P., M. E.). Modern Moulding and Pattern Making. A Practical Treatise upon Pattern Shop and Foundry Work; embracing the Moulding of Pulleys, Spur Gears, Worm Gears, Balance-Wheels, Stationary Engine and Locomotive Cylinders. Globe Valves. Tool Work, Mining Machinery, Screw Propellers. Pattern-Shop Machinery, and the latest improvements in English and American Cupolas; together with a large collection of original and carefully selected Rules and Tables for everyday use in the Drawing Office, Pattern-Shop and Foundry. 12mo, cloth. Illustrated............... 2 50

MUNRO (JOHN C. E.), and JAMIESON ANDREW C. E. A Pocket-book of Electrical Rules and Tables for the use of Electricians and Engineers. Thirteenth edition, revised and enlarged. With numerous diagrams. Pocket size. Leather.. 2 50

MURPHY (J. G., M. E.). Practical Mining. A Field Manual for Mining Engineers. With Hints for Investors in Mining Properties. 16mo, morocco tucks 1 00

NAQUET (A.). Legal Chemistry. A Guide to the Detection of Poisons, Falsification of Writings, Adulteration of Alimentary and Pharmaceutical Substances, Analysis of Ashes, and examination of Hair. Coins, Arms, and Stains, as applied to Chemical Jurisprudence. Translated from the French, by J. P. Battershall, Ph D., with a preface by C. F. Chandler, Ph. D., M. D., LL. D. 12mo, cloth........ 2 00

NASMITH (JOSEPH). The Student's Cotton Spinning. Third edition, revised and enlarged. 8vo, cloth. 622 pages. 250 Illustrations................ 3 00

NEWALL (JOHN W.). Plain Practical Directions for Drawing, Sizing and Cutting Bevel-Gears, showing how the Teeth may be cut in a Plain Milling Machine or Gear Cutter so as to give them a correct shape from end to end; and showing how to get out all particulars for the Workshop without making any Drawings. Including a Full Set of Tables of Reference. Folding plates. 8vo, cloth. 1 50

NEWCOMB (EDWARD W.). Stepping Stones to Photography. 12mo, cloth. Illustrated. N. Y 1899. (In Press.)

NEWLANDS (JAMES). The Carpenters' and Join ers' Assistant: being a Comprehensive Treatise on the Selection, Preparation and Strength of Mate rials, and the Mechanical Principles of Framing. Illustrated. Folio, half morocco.....................15 00

NIPHER (FRANCIS E., A. M.). Theory of Mag netic Measurements, with an appendix on the Method of Least Squares. 12mo, cloth 1 00

NOAD (HENRY M.). The Students' Text-Book of Electricity. A new edition, carefully revised. With an Introduction and additional chapters by W. H. Preece. With 471 illustrations. 12mo, cloth........ 4 00

NUGENT (E.). Treatise on Optics; or, Light and Sight theoretically and practically treated. with the appli cation to Fine Art and Industrial Pursuits. With 103 illustrations. 12mo, cloth. ....̇...... 1 50

O'CONNOR (HENRY). The Gas Engineer's Pocket- Book. Comprising Tables, Notes and Memoranda; relating to the Manufacture, Distribut on a d Use of Coal Gas and the Construction of Gas Works. 12mo, full leather, gilt edges........................ 3 50

OUDIN (M. A.). Standard Polyphase Apparatus and Systems. Fully illustrated 3 00

PAGE (DAVID). The Earth's Crust, A Handy Out- line of Geology. 16mo, cloth......................... 75

PALAZ (A., ScD.). A Treatise on Industrial Pho tometry, with special application to Electric Light ing. Authorized translation from the French, by George W. Patterson, Jr. Second edition, revised. 8vo, cloth. Illustrated.......... .... 4 00

PARSHALL (H. F.), and HOBART H. M. Armature Windings of Electric Machines. With 140 full page plates, 65 tables, and 165 pages of descrip tive letter-press. 4to, cloth....................... . 7 50

PARSHALL (H. F.), and EVAN PARRY. Electrical Equipment of Tramways......(In Press.)

PEIRCE (B.). System of Analytic Mechanics. 4to, cloth 10 00

—— Linear Associative Algebra. New edition, with addenda and notes, by C. L. Pierce. 4to, cloth 4 00

PERRINE (F. A. C., A. M., D. Sc.). Conductors for Electrical Distribution; their Manufacture and Materials, the Calculation of Circuits, Pole Line Construction, Underground Working and other Uses.
(In Press.)

PERRY (JOHN). Applied Mechanics. A Treatise for the use of students who have time to work experimental, numerical and graphical exercises illustrating the subject. 8vo, cloth. 650 pages.,net 2 50

PHILLIPS (JOSHUA). Engineering Chemistry. A Practical Treatise for the use of Analytical Chemists, Engineers, Iron Masters, Iron Founders, students and others. Comprising methods of Analysis and Valuation of the principal materials used in Engineering works, with numerous Analyses, Examples and Suggestions. 314 illustrations. Second edition, revised and enlarged. 8vo, cloth........... 4 00

PICKWORTH (CHAS. N.). The Indicator Handbook. A Practical Manual for Engineers. Part I. The Indicator: Its Construction and Application. 81 illustrations. 12mo, cloth......................... 1 50

——— The Slide Rule. A Practical Manual of Instruction for all Users of the Modern Type of Slide Rule, exhibiting the Application of the Instrument to the Everyday Work of the Engineer,— Civil, Mechanical and Electrical. 12mo, flexible cloth. Fifth edition.   80

PLANE TABLE (THE). Its Uses in Topographical Surveying. From the Papers of the United States Coast Survey. Illustrated. 8vo, cloth.............. 2 00

PLANTE (GASTON). The Storage of Electrical Energy, and Researches in the Effects created by Currents, combining Quantity with High Tension. Translated from the French by Paul B. Elwell. 89 illustrations. 8vo........................... 4 00

PLATTNER. Manual of Qualitative and Quantitative Analysis with the Blow Pipe. From the last German edition, revised and enlarged, by Prof. Th. Richter, of the Royal Saxon Mining Academy. Translated by Prof. H. B. Cornwall, assisted by John H. Caswell. Illustrated with 87 wood cuts and one lithographic plate. Seventh edition, revised. 560 pages. 8vo, cloth.. 5 00

PLYMPTON (Prof. GEO. W.). The Blow Pipe. A Guide to its use in the Determination of Salts and Minerals. Compiled from various sources. 12mo, cloth 1 50

——— The Aneroid Barometer: its Construction and Use. Compiled from several sources. Fourth edition. 16mo, boards. Illustrated... 50
Morocco. 1 00

POCKET LOGARITHMS, to Four Places of Decimals, in luding Logarithms of Numbers, and Logarithmic Sines and Tangents to Single Minutes. To which is added a Table of Natural Sines, Tangents, and Co-Tangents. 16mo, boards. .. ..,.. 50

POPE (F. L.). Modern Practice of the Electric Telegraph. A Technical Hand-book for Electricians, Managers and Operators. Fifteenth edition, rewritten and enlarged, and fully illustrated. 8vo, cloth. 1 50

POPPLEWELL (W. C.). Elementary Treatise on Heat and Heat Engines. Special y adapted for engineers and students of engineering. 12mo, cloth. Illustrated............. .... 3 00

POWLES (H. H.). Steam Boilers..........(In Press.)

PRAY (Jr., THOMAS). Twenty Years with the Indicator; being a Practical Text-Book for the Engineer or the Student, with no complex Formulæ. Illustrated. 8vo, cloth......... .... 2 50

——— Steam Tables and Engine Constant. Compiled from Regnault, Rankine and Dixon directly, making use of the exact records. 8vo, cloth................ 2 00

PRACTICAL IRON FOUNDING. By the Author of "Pattern Making," &c , &c. Illustrated with over one hundred engravings. 12mo, cloth...... .. 1 50

PREECE (W. H.). Electric Lamps ....(In Press.)

PREECE (W. H.), and STUBBS, A. T. Manual of Telephony. Illustrations and plates. 12mo, cloth. 4 50

PREMIER CODE. (See Hawk, Wm. H.)

PRESCOTT (Prof. A. B.). Organic Analysis. A Manual of the Descriptive and nalytical Chemistry of certain Carbon Compounds in Common Use: a Guide in the Qualitative and Quantitative Analysis of Organic Materials in Commercial and Pharma-

ceutical Assays, in the estimation of Impurities under Authorized Standards, and in Forensic Examinations for Poisons, with Directions for Elementary Organic Analysis. Fourth edition.   8vo, cloth..... 5 00

PRESCOTT (Prof. A. B.). Outlines of Proximate Organic Analysis, for the Identification, Separation, and Quantitative Determination of the more commonly occurring Organic Compounds. Fourth edition.   12mo, cloth 1 75

—— First Book in Qualitative Chemistry. Eighth edition.   12mo, cloth 1 50

—— and Otis Coe Johnson. Qualitative Chemical Analysis. A Guide in the Practical Study of Chemistry and in the work of Analysis. Fourth fully revised edition. With Descriptive Chemistry extended throughout...................... .... 3 50

PRITCHARD (O. G.). The Manufacture of Electric Light Carbons. Illustrated. 8vo, paper   60

PULLEN (W. W. F.). Application of Graphic Methods to the Design of Structures. Specially prepared for the use of Engineers. 12mo, cloth. Illustrated.   net 2 50

PULSIFER (W. H.). Notes for a History of Lead. 8vo, cloth, gilt tops........ ....… .. … 4 00

PYNCHON (Prof. T. R.). Introduction to Chemical Physics, designed for the use of Academies, Colleges, and High Schools. Illustrated with numerous engravings, and containing copious experiments with directions for preparing them. New edition, revised and enlarged, and illustrated by 269 illustrations on wood. 8vo, cloth...................... 3 00

RADFORD (Lieut. CYRUS S.). Hand-book on Naval Gunnery. Prepared by Authority of the Navy Department. For the use of U. S. Navy, U. S. Marine Corps and U. S. Naval Reserves. Revised and enlarged, with the assistance of Stokely Morgan, Lieut. U. S. N. Third edition. 12mo, flexible leather. 2 00

RAFTER (GEO. W.), and M. N. BAKER. Sewage Disposal in the United States. Illustrations and folding plates. Second edition. 8vo, cloth........ 6 00

RAM (GILBERT S.). The Incandescent Lamp and its Manufacture. 8vo, cloth........................ 3 00

RANDALL (J. E.). A Practical Treatise on the Incandescent Lamp. Illustrated. 16mo, cloth..... 50

RANDALL (P. M.). Quartz Operator's Hand-book. New edition, revised and enlarged, fully illustrated. 12mo, cloth........... .... 2 00

RANKINE (W. J. MACQUORN.) Applied Mechanics. Comprising the Principles of Statics and Cinematics, and Theory of Structures. Mechanism, and Machines. With numerous diagrams. Fifteenth edition. Thoroughly revised by W. J. Millar. 8vo, cloth 5 00

——— Civil Engineering. Comprising Engineering Surveys, Earthwork, Foundations, Masonry, Carpentry, Metal Work, Roads, Railways, Canals, Rivers, Water Works, Harbors, etc. With numerous tables and illustrations. Twentieth edition. Thoroughly revised by W. J. Millar. 8vo, cloth 6 50

——— Machinery and Millwork. Comprising the Geometry, Motions, Work, Strength, Construction, and Objects of Machines, etc. Illustrated with nearly 300 wood cuts. Seventh edition. Thoroughly revised by W. J. Millar. 8vo, cloth......................... 5 00

——— The Steam Engine and other Prime Movers. With diagram of the Mechanical Properties of Steam-folding plates, numerous tables and illustrations. Thirteenth edition. Thoroughly revised by W. J. Millar. 8vo, cloth 5 00

——— Useful Rules and Tables for Engineers and Others. With appendix, tables, tests, and formulæ for the use of Electrical Engineers. Comprising Submarine Electrical Engineering, Electric Lighting, and Transmission of Power. By Andrew Jamieson, C. E., F. R. S. E. Seventh edition Thoroughly revised by W. J. Millar. Crown 8vo, cloth. 4 00

——— A Mechanical Text-Book. By Prof. Macquorn Rankine and E F. Bamber, C. E. With numerous illustrations. Fourth edition. 8vo, cloth........... 3 50

RAPHAEL (F. C.). Localisation of Faults in Electric Light Mains. 8vo, cloth............. .... 2 00

RECKENZAUN (A.). Electric Traction on Railways and Tramways. 213 illustrations. 12mo, cloth..... 4 00

REED'S ENGINEERS' HAND-BOOK to the Local Marine Board Examinations for Certificates of Competency as First and Second Class Engineers. By W. H. Thorn. With the answers to the Elementary Questions. Illustrated by 297 diagrams and 36 large plates. Sixteenth edition, revised and enlarged. 8vo, cloth 5 00

—— Key to the Sixteenth Edition of Reed's Engineer's Hand-book to the Board of Trade Examinations for First and Second Class Engineers and containing the working of all the questions given in the examination papers. By W. H Thorn. 8vo, cloth 3 00

—— Useful Hints to Sea-going Engineers, and How to Repair and Avoid " Break Downs; " also Appendices Containing Boiler Explosions, Useful Formulæ, etc. With 36 diagrams and 4 plates. Second edition, revised and enlarged. 12mo, cloth...... .... 1 40

—— Marine Boilers: A Treatise on the Causes and Prevention of their Priming, with Remarks on their General Management. Illustrated. 12mo, cloth... 2 00

REINHARDT (CHAS. W.). Lettering for Draftsmen, Engineers and Students. A Practical System of Free-hand Lettering for Working Drawings. Fourth thousand. Oblong, boards.................. 1 00

RICE (J. M.)., and JOHNSON, W. W. On a New Method of obtaining the Differential of Functions, with especial reference to the Newtonian Conception of Rates or Velocities. 12mo, paper.... 50

RINGWALT (J. L.). Development of Transportation Systems in the United States, Comprising a Comprehensive Description of the leading features of advancement from the colonial era to the present time. With illustrations. Quarto, half morocco.. 7 50

RIPPER (WILLIAM). A Course of Instruction in Machine Drawing and Design for Technical Schools and Engineer Students. With 52 plates and numerous explanatory engravings. Folio, cloth......... . 6 00

ROEBLING (J. A.). Long and Short Span Railway Bridges. Illustrated with large copperplate engravings of plans and views. Imperial folio, cloth 25 00

ROGERS (Prof. H. D.). The Geology of Pennsylvania. A Government Survey, with a General View of the Geology of the United States, essays on the Coal Formation and its Fossils, and a description of the Coal Fields of North America and Great Britain. Illustrated with plates and engravings in the text. 3 vols., 4to, cloth, with portfolio of maps.15 00

ROSE (JOSHUA, M. E.). The Pattern Makers' Assistant. Embracing Lathe Work, Branch Work, Core Work, Sweep Work, and Practical Gear Constructions, the Preparation and Use of Tools, together with a large collection of useful and valuable Tables. Eighteenth edition. Illustrated with 250 engravings. 8vo, cloth.......................... 2 50

—— Key to Engines and Engine-running. A Practical Treatise upon the Management of Steam Engines and Boilers for the Use of Those who Desire to Pass an Examination to Take Charge of an Engine or Boiler. With numerous illustrations, and Instructions Upon Engineers' Calculations, Indicators, Diagrams, Engine Adjustments, and other Valuable Information necessary for Engineers and Firemen. 12mo, cloth................ .... 2 50

SABINE (ROBERT). History and Progress of the Electric Telegraph. With descriptions of some of the apparatus. Second edition, with additions. 12mo, cloth...... .. .. 1 25

SAELTZER (ALEX.). Treatise on Acoustics in connection with Ventilation. 12mo, cloth........ ..... 1 00

SALOMONS (Sir DAVID, M. A.). Electric Light Installations. A Practical Hand-book. Eighth edition, revised and enlarged, with numerous illustrations. Vol. I. The management of Accumulators. 12mo, cloth.............. .. .. 1 50
Vol. II., Apparatus, 296 illustrations. 12mo, cloth 2 25
Vol. III., Applications. 12mo, cloth..... .... 1 50

SANFORD (P. GERALD). Nitro-Explosives. A Practical Treatise concerning the Properties, Manufacture and Analysis of Nitrated Substances, including the Fulminates, Smokeless Powders and Celluloid. 8vo, cloth, 270 pages......... .... 3 00

SAUNNIER (CLAUDIUS). Watchmaker's Handbook. A Workshop Companion for those engaged

in Watchmaking and allied Mechanical Arts. Translated by J. Tripplin and E. Rigg. Second edition, revised with appendix. 12mo, cloth 3 50

SCHELLEN (Dr. H.). Magneto-Electric and Dynamo-Electric Machines: their Construction and Practical Application to Electric Lighting, and the Transmission of Power. Translated from the third German edition, by N. S. Keith and Percy Neymann, Ph. D. With very large additions and notes relating to American Machines, by N. S. Keith. Vol. I., with 353 illustrations. Second edition 5 00

SCHUMANN (F.). A Manual of Heating and Ventilation in its Practical Application, for the use of Engineers and Architects. Embracing a series of Tables and Formulæ for dimensions of heating, flow and return pipes for steam and hot water boilers, flues, etc. 12mo, illustrated, full roan. 1 50

SCRIBNER (J. M.). Engineers' and Mechanics' Companion. Comprising United States Weights and Measures. Mensuration of Superfices and Solids, Tables of Squares and Cubes, Square and Cube Roots, Circumference and Areas of Circles, the Mechanical Powers. Centres of Gravity, Gravitation of Bodies, Pendulums, Specific Gravity of Bodies, Strength, Weight, and Crush of Materials, Water-Wheels, Hydrostatics, Hydraulics, Statics, Centres of Percussion and Gyration, Friction Heat, Tables of the Weight of Metals, Scantling, etc., Steam and the Steam Engine. Twentieth edition revised. 16mo, full morocco 1 50

SEATON (A. E.). A Manual of Marine Engineering. Comprising the Designing, Construction and Working of Marine Machinery. With numerous tables and illustrations reduced from Working Drawings. Fourteenth edition. Revised throughout, with an additional chapter on Water Tube Boilers. 8vo., cloth............. .... 6 00

—— **and ROUNTHWAITE (H. M.).** A Pocketbook of Marine Engineering Rules and Tables. For the use of Marine Engineers and Naval Architects, Designers, Draughtsmen, Superintendents, and all engaged in the design and construction of Marine Machinery, Naval and Mercantile. Fifth edition, revised and enlarged. Pocket size. Leather, with diagrams. Reprinting.

SEXTON (A. HUMBOLDT). Fuel and Refractory Materials. 8vo, cloth **2 00**

SHIELDS (J. E.). Notes on Engineering Construction Embracing Discussions of the Principles involved, and Descriptions of the Material employed in Tunnelling, Bridging, Canal and Road Building, etc. 12mo, cloth............. .... **1 50**

SHOCK (WM. H.). Steam Boilers: Their Design, Construction and Management. 4to, half morocco.**15 00**

SHREVE (S. H.). A Treatise on the Strength of Bridges and Roofs. Comprising the determination of Algebraic formulas for strains in Horizontal, Inclined or Rafter, Triangular, Bowstring, Lenticular, and other Trusses, from fixed and moving loads, with practical applications and examples, for the use of Students and Engineers. 87 woodcut illus. Fourth edition. 8vo, cloth **3 50**

SHUNK (W. F.). The Field Engineer. A Handy Book of practice in the Survey, Location, and Truckwork of Railroads, containing a large collection of Rules and Tables, original and selected, applicable to both the Standard and Narrow Gauge, and prepared with special reference to the wants of the young Engineer. Eleventh edition, revised and enlarged. 12mo, morocco, tucks.................... **2 50**

SIMMS (F. W.). A Treatise on the Principles and Practice of Levelling. Showing its application to purposes of Railway Engineering, and the Construction of Roads, etc. Revised and corrected, with the addition of Mr. Laws' Practical Examples for setting out Railway Curves. Illustrated. 8vo, cloth.... .... **2 50**

SIMMS (W. F.). Practical Tunnelling. Fourth edition, revised and greatly extended. With additional chapters illustrating recent practice by D. Kinnear Clark. With 36 plates and other illustrations. Imperial 8vo, cloth...............................**12 00**

SLATER (J. W.). Sewage Treatment, Purification, and Utilization. A Practical Manual for the Use of Corporations, Local Boards, Medical Officers of Health, Inspectors of Nuisances, Chemists, Manufacturers, Riparian Owners, Engineers, and Ratepayers. 12mo, cloth................................. **2 25**

SMITH (ISAAC W., C. E.). The Theory of Deflections and of Latitudes and Departures. With special applications to Curvilinear Surveys, for Alignments of Railway Tracks. Illustrated. 16mo, morocco, tucks.. . ... 3 00

SNELL (ALBION T.). Electric Motive Power: The Transmission and Distribution of Electric Power by Continuous and Alternate Currents With a Section on the Applications of Electricity to Mining Work. Second edition. 8vo, cloth, illustrated............. 4 00

SPEYERS (CLARENCE L.). Text-Book of Physical Chemistry. 8vo, cloth 2 25

STAHL (A. W.), and A. T. WOODS. Elementary Mechanism. A Text Book for Students of Mechanical Engineering. Fourth edition, enlarged. 12mo, cloth......... .... 2 00

STALEY (CADY), and PIERSON, GEO. S. The Separate System of Sewerage: its Theory and Construction. Third edition, revised. 8vo, cloth. With maps, plates and illustrations................... ...... 3 00

STEVENSON (DAVID, F.R.S.N.). The Principles and Practice of Canal and River Engineering. Revised by his sons David Alan Stevenson, B. Sc., F. R. S.E., and Charles Alexander Stevenson, B. Sc., F.R. S.E., Civil Engineer. Third edition, with 17 plates, 8vo, cloth............. ....10 00

—— The Design and Construction of Harbors, A Treatise on Maritime Engineering. Third edition with 24 plates, 8vo, cloth............. .. .. 9 00

STEWART (R. W.). A Text Book of Light, Adapted to the Requirements of the Intermediate Science and Preliminary Scientific Examinations of the University of London. and also for General Use, Numerous Diagrams and Examples. 12mo, cloth.. 1 00

STEWART (R. W.). A Text Book of Heat, Illustrated, 8vo, cloth...... .... 1 00

—— A Text Book of Magnetism and Electricity, 160 Illus. and Numerous Examples. 12mo, cloth....... 1 00

STILES (AMOS). Tables for Field Engineers. Designed for use in the field. Tables containing all the functions of a one degree curve, from which a corresponding one can be found for any required

degree. Also, Tables of Natural Sines and Tangents. 12mo, morocco, tucks 2 00

STILLMAN (PAUL). Steam Engine Indicator and the Improved Manometer Steam and Vacuum Gauges; their Utility and Application. New edition. 12mo, flexible cloth 1 00

STONE (General ROY). New Roads and Road Laws in the United States. 200 pages, with numerous illustrations. 12mo, cloth.......................... 1 00

STUART (C. B., U. S. N.). Lives and Works of Civil and Military Engineers of America. With 10 steel-plate engravings. 8vo, cloth 5 00

—— The Naval Dry Docks of the United States. Illustrated with 24 fine Engravings on Steel. Fourth edition. 4to, cloth... .... 6 00

SWINTON (ALAN A. CAMPBELL). The Elementary Principle of Electric Lighting. Illustrated. 12mo, cloth 60

TEMPLETON (WM.). The Practical Mechanic's Work-shop Companion. Comprising a great variety of the most useful rules and formulæ in Mechanical Science, with numerous tables of practical data and calculated results facilitating mechanical operations. Revised and enlarged by W. S. Hutton. 12mo, morocco... .... 2 00

THOM (CHAS.), and WILLIS H. JONES. Telegraphic Connections: embracing Recent Methods in Quadruplex Telegraphy. Oblong, 8vo, cloth. 20 full page plates, some colored.............. .... 1 50

THOMPSON (EDWARD P., M. E.). How to Make Inventions; or Inventing as a Science and an Art. A Practical Guide for Inventors. Second edition. 8vo, boards 1 00

—— Roentgen Rays and Phenomena of the Anode and Cathode Principles, Applications and Theories. For Students, Teachers, Physicians, Photographers, Electricians and others. Assisted by Louis M. Pignolet, N. D. C. Hodges, and Ludwig Gutmann, E. E. With a Chapter on Generalizations, Arguments, Theories, Kindred Radiations and Phenomena. By Professor Wm. Anthony. 8vo, cloth. 50 Diagrams, 40 Half tones.... .... -. 1 50

TODD (JOHN), and W. B. WHALL. Practical Seamanship for Use in the Merchant Service: Including all ordinary subjects; also Steam Seamanship, Wreck Lifting, Avoiding Collision, Wire Splicing, Displacement, and everything necessary to be known by seamen of the present day. Second edition, with 247 illustrations and diagrams. 8vo, cloth.......... 8 40

TOOTHED GEARING. A Practical Hand-book for Offices and Workshops. By a Foreman Pattern-maker. 184 Illustrations. 12mo, cloth.............. 2 25

TRATMAN (E. E. RUSSELL). Railway Track and Track Work. With over two hundred illustrations. 8vo, cloth 3 00

TREVERT (EDWARD). How to Build Dynamo-Electric Machinery, embracing Theory Designing and Construction of Dynamos and Motors. With appendices on Field Magnet and Armature Winding, Management of Dynamos and Motors, and Useful Tables of Wire Gauges. Illustrated. 8vo, cloth ... 2 50

—— Electricity and its Recent Applications. A Practical Treatise for Students and Amateurs, with an Illustrated Dictionary of Electrical Terms and Phrases. Illustrated. 12mo, cloth.................. 2 00

TUCKER (Dr. J. H.). A Manual of Sugar Analysis, including the Applications in General of Analytical Methods to the Sugar Industry. With an Introduction on the Chemistry of Cane Sugar. Dextrose, Levulose, and Milk Sugar. 8vo, cloth. Illustrated. 3 05

TUMLIRZ (Dr. O.). Potential and its Application to the Explanation of Electric Phenomena, Popularly Treated. Translated from the German by D. Robertson. Illustrated. 12mo, cloth.......... ... 1 25

TUNNER (P. A.). Treatise on Roll-Turning for the Manufacture of Iron. Translated and adapted by John B. Pearse, of the Pennsylvania Steel Works, with numerous engravings. wood-cuts. 8vo, cloth, with folio atlas of plates........................ .10 00

URQUHART (J. W.). Electric Light Fitting. Embodying Practical Notes on Installation Management. A Hand-book for Working Electrical Engineers— with numerous illustrations. 12mo, cloth.. ...... 2 00

—— Electro-Plating. A Practical Hand-book on the Deposition of Copper, Silver, Nickel, Gold, Brass, Aluminum, Platinum, etc. Fourth edition. 12mo.. 2 00

THE VAN NOSTRAND SCIENCE SERIES.

Sherman